

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
All causes										
All races, both sexes 1999.....	877.0	731.4	34.7	17.4	21.1	69.8	93.6	97.2	118.4	163.2
All races, male 1999.....	882.0	801.5	38.5	19.2	25.3	96.3	137.6	138.5	161.0	211.1
All races, female 1999.....	872.2	658.1	30.8	15.5	16.7	41.7	48.0	56.4	76.6	115.8
White, both sexes 1999.....	917.7	596.8	30.7	15.6	19.8	66.2	83.5	86.7	105.7	146.0
White, male 1999.....	911.2	658.1	33.9	17.1	23.5	89.5	121.8	123.7	144.5	191.3
White, female 1999.....	924.1	532.6	27.4	14.0	15.9	41.3	43.1	49.3	66.7	100.3
All other, both sexes 1999.....	686.5	1,245.1	50.2	24.1	25.9	83.5	133.4	138.6	171.9	242.0
All other, male 1999.....	741.6	1,353.0	56.6	27.2	31.9	122.9	201.7	199.7	235.0	307.7
All other, female 1999.....	636.1	1,133.7	43.6	21.0	19.7	42.9	66.5	82.9	115.8	182.9
Black, both sexes 1999.....	817.7	1,551.1	58.9	28.0	29.4	93.6	156.4	170.2	212.0	298.5
Black, male 1999.....	880.0	1,694.0	66.0	32.5	36.8	139.3	239.3	246.1	290.5	378.9
Black, female 1999.....	761.3	1,403.3	51.5	23.3	21.9	46.3	75.3	100.6	142.4	227.2

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

All races, both sexes 1999.....	22.0	14.7	1.6	0.7	0.6	0.7	1.9	5.5	12.1	16.7
All races, male 1999.....	24.4	17.0	1.8	0.7	0.6	0.7	1.9	6.9	16.9	24.1
All races, female 1999.....	19.7	12.4	1.3	0.7	0.5	0.7	1.9	4.1	7.4	9.4
White, both sexes 1999.....	18.9	11.7	1.3	0.6	0.4	0.6	1.1	3.1	7.4	10.9
White, male 1999.....	20.2	14.1	1.6	0.6	0.5	0.6	1.4	4.1	11.2	16.9
White, female 1999.....	17.7	9.2	1.1	0.6	0.4	0.6	0.9	2.0	3.6	4.8
All other, both sexes 1999.....	36.3	26.2	2.4	1.2	1.1	1.1	4.9	14.8	31.9	43.5
All other, male 1999.....	44.4	28.1	2.9	1.1	1.3	1.1	4.1	18.2	42.5	59.3
All other, female 1999.....	29.0	24.4	2.0	1.3	*	1.1	5.7	11.8	22.5	29.3
Black, both sexes 1999.....	46.2	33.1	2.8	1.4	1.2	1.3	6.1	20.4	43.9	58.4
Black, male 1999.....	56.7	35.3	3.5	1.4	1.5	1.4	5.1	24.6	58.5	79.6
Black, female 1999.....	36.6	30.7	2.1	1.4	*	*	7.1	16.5	30.9	39.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Other tuberculosis (A17-A19)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Zoonotic and other bacterial diseases (A20-A49)										
All races, both sexes 1999.....	12.0	9.0	0.8	0.3	0.2	0.3	0.6	0.7	1.0	1.6
All races, male 1999.....	10.8	10.3	0.9	0.3	0.2	0.3	0.7	0.7	1.2	1.8
All races, female 1999.....	13.2	7.6	0.7	0.3	0.3	0.3	0.6	0.7	0.9	1.5
White, both sexes 1999.....	11.6	7.1	0.7	0.3	0.2	0.3	0.5	0.5	0.9	1.3
White, male 1999.....	10.2	8.4	0.8	0.3	*	0.3	0.6	0.6	0.9	1.4
White, female 1999.....	12.8	5.8	0.7	0.3	*	0.3	0.4	0.5	0.8	1.1
All other, both sexes 1999.....	14.1	16.1	1.1	*	*	*	1.1	1.3	1.7	3.3
All other, male 1999.....	13.5	17.9	*	*	*	*	*	1.2	2.1	3.6
All other, female 1999.....	14.6	14.4	*	*	*	*	1.3	1.4	1.4	3.1
Black, both sexes 1999.....	17.7	20.2	1.0	*	*	*	1.2	1.7	2.2	4.2
Black, male 1999.....	16.9	21.8	*	*	*	*	*	*	2.9	4.6
Black, female 1999.....	18.4	18.6	*	*	*	*	*	2.0	1.7	3.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Septicemia (A40-A41)										
All races, both sexes 1999.....	11.3	7.4	0.6	0.2	0.2	0.2	0.5	0.6	0.9	1.4
All races, male 1999.....	10.1	9.0	0.6	0.2	*	*	0.5	0.6	1.0	1.5
All races, female 1999.....	12.4	5.8	0.5	0.3	*	*	0.4	0.6	0.8	1.3
White, both sexes 1999.....	10.8	5.4	0.5	0.2	0.1	0.2	0.4	0.5	0.7	1.0
White, male 1999.....	9.5	6.8	0.5	*	*	*	0.5	0.5	0.8	1.2
White, female 1999.....	12.1	3.9	0.5	*	*	*	*	0.4	0.6	0.9
All other, both sexes 1999.....	13.3	15.0	0.9	*	*	*	1.0	1.1	1.4	3.0
All other, male 1999.....	12.7	17.1	*	*	*	*	*	*	1.6	3.2
All other, female 1999.....	13.9	12.8	*	*	*	*	1.1	1.2	1.2	2.8
Black, both sexes 1999.....	16.7	18.8	*	*	*	*	1.0	1.4	1.8	3.8
Black, male 1999.....	15.8	21.1	*	*	*	*	*	*	2.1	4.1
Black, female 1999.....	17.5	16.4	*	*	*	*	*	1.7	1.5	3.5

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Viral diseases (A80-B34)										
All races, both sexes 1999.....	7.7	3.5	0.5	0.3	0.2	0.3	1.0	4.4	10.4	14.3
All races, male 1999.....	11.2	3.9	0.7	0.3	0.3	0.3	1.0	5.7	15.0	21.3
All races, female 1999.....	4.4	3.1	0.4	0.3	*	0.3	1.1	3.1	5.9	7.3
White, both sexes 1999.....	5.3	2.7	0.4	0.2	0.1	0.2	0.5	2.3	6.1	9.0
White, male 1999.....	7.8	3.4	0.6	*	*	*	0.6	3.2	9.8	14.7
White, female 1999.....	2.8	2.1	*	*	*	*	0.4	1.3	2.5	3.3
All other, both sexes 1999.....	19.3	6.4	0.9	0.7	0.5	0.6	3.3	12.8	28.5	38.4
All other, male 1999.....	27.6	6.2	*	*	*	*	2.9	16.2	38.6	53.7
All other, female 1999.....	11.7	6.7	*	*	*	*	3.7	9.6	19.6	24.7
Black, both sexes 1999.....	25.2	7.7	1.3	1.0	0.7	0.8	4.4	17.7	39.6	51.9
Black, male 1999.....	36.3	8.0	*	*	*	*	3.7	22.2	53.3	72.4
Black, female 1999.....	15.1	7.5	*	*	*	*	5.0	13.6	27.5	33.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)										
All races, both sexes 1999.....	5.4	*	0.2	0.2	0.1	0.2	0.9	4.2	10.0	13.2
All races, male 1999.....	8.4	*	*	0.2	*	*	0.9	5.6	14.4	19.8
All races, female 1999.....	2.6	*	*	*	*	*	1.0	2.8	5.6	6.7
White, both sexes 1999.....	3.0	*	*	*	*	*	0.4	2.1	5.6	8.0
White, male 1999.....	5.1	*	*	*	*	*	0.4	3.1	9.1	13.1
White, female 1999.....	1.0	*	*	*	*	*	0.3	1.1	2.1	2.7
All other, both sexes 1999.....	16.7	*	*	0.6	*	0.5	3.1	12.4	28.1	37.3
All other, male 1999.....	24.5	*	*	*	*	*	2.6	15.7	38.1	52.4
All other, female 1999.....	9.7	*	*	*	*	*	3.6	9.3	19.3	23.8
Black, both sexes 1999.....	22.6	*	*	0.8	*	0.7	4.2	17.3	39.1	50.8
Black, male 1999.....	33.2	*	*	*	*	*	3.4	21.9	52.7	71.0
Black, female 1999.....	13.1	*	*	*	*	*	4.8	13.1	27.0	32.8

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)

All races, both sexes 1999.....	2.2	*	*	*	*	*	0.4	1.8	4.0	5.4
All races, male 1999.....	3.3	*	*	*	*	*	0.4	2.4	5.6	8.1
All races, female 1999.....	1.1	*	*	*	*	*	0.5	1.3	2.4	2.8
White, both sexes 1999.....	1.2	*	*	*	*	*	0.1	1.0	2.2	3.3
White, male 1999.....	2.0	*	*	*	*	*	*	1.5	3.5	5.3
White, female 1999.....	0.4	*	*	*	*	*	*	0.5	1.0	1.3
All other, both sexes 1999.....	6.7	*	*	*	*	*	1.6	5.1	11.3	15.2
All other, male 1999.....	9.7	*	*	*	*	*	1.2	6.2	14.9	21.8
All other, female 1999.....	3.9	*	*	*	*	*	1.9	4.2	8.1	9.4
Black, both sexes 1999.....	9.0	*	*	*	*	*	2.1	7.2	15.6	20.4
Black, male 1999.....	13.1	*	*	*	*	*	1.6	8.6	20.5	28.9
Black, female 1999.....	5.2	*	*	*	*	*	2.6	5.9	11.3	12.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)

All races, both sexes 1999.....	0.6	*	*	*	*	*	*	0.4	1.1	1.6
All races, male 1999.....	1.0	*	*	*	*	*	*	0.6	1.7	2.5
All races, female 1999.....	0.2	*	*	*	*	*	*	0.2	0.5	0.6
White, both sexes 1999.....	0.4	*	*	*	*	*	*	0.2	0.7	1.1
White, male 1999.....	0.7	*	*	*	*	*	*	0.4	1.2	1.9
White, female 1999.....	0.1	*	*	*	*	*	*	*	*	0.3
All other, both sexes 1999.....	1.6	*	*	*	*	*	*	1.1	2.8	3.8
All other, male 1999.....	2.4	*	*	*	*	*	*	1.6	4.1	5.5
All other, female 1999.....	0.8	*	*	*	*	*	*	*	1.6	2.3
Black, both sexes 1999.....	2.2	*	*	*	*	*	*	1.5	4.0	5.2
Black, male 1999.....	3.3	*	*	*	*	*	*	2.2	5.9	7.5
Black, female 1999.....	1.2	*	*	*	*	*	*	*	2.3	3.2

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)										
All races, both sexes 1999.....	1.3	*	*	*	*	*	0.2	0.9	2.1	2.8
All races, male 1999.....	1.9	*	*	*	*	*	*	1.2	2.8	3.9
All races, female 1999.....	0.7	*	*	*	*	*	0.2	0.6	1.3	1.7
White, both sexes 1999.....	0.6	*	*	*	*	*	*	0.4	0.9	1.4
White, male 1999.....	0.9	*	*	*	*	*	*	0.5	1.5	2.2
White, female 1999.....	0.2	*	*	*	*	*	*	*	0.4	0.6
All other, both sexes 1999.....	4.4	*	*	*	*	*	0.7	3.0	6.8	9.3
All other, male 1999.....	6.3	*	*	*	*	*	*	4.0	9.0	12.4
All other, female 1999.....	2.7	*	*	*	*	*	*	2.2	4.9	6.6
Black, both sexes 1999.....	6.0	*	*	*	*	*	0.9	4.3	9.5	12.9
Black, male 1999.....	8.7	*	*	*	*	*	*	5.6	12.4	17.3
Black, female 1999.....	3.7	*	*	*	*	*	*	3.1	6.9	9.0

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Unspecified human immunodeficiency virus (HIV) disease (B24)

All races, both sexes 1999.....	1.0	*	*	*	*	*	0.2	0.8	2.0	2.4
All races, male 1999.....	1.5	*	*	*	*	*	*	1.0	2.9	3.5
All races, female 1999.....	0.5	*	*	*	*	*	*	0.6	1.1	1.2
White, both sexes 1999.....	0.5	*	*	*	*	*	*	0.4	1.1	1.3
White, male 1999.....	0.9	*	*	*	*	*	*	0.5	1.8	2.2
White, female 1999.....	0.2	*	*	*	*	*	*	*	0.4	0.4
All other, both sexes 1999.....	3.1	*	*	*	*	*	0.5	2.5	5.6	7.1
All other, male 1999.....	4.5	*	*	*	*	*	*	3.0	7.6	9.8
All other, female 1999.....	1.8	*	*	*	*	*	*	2.0	3.8	4.7
Black, both sexes 1999.....	4.2	*	*	*	*	*	0.7	3.5	7.8	9.7
Black, male 1999.....	6.1	*	*	*	*	*	*	4.2	10.5	13.3
Black, female 1999.....	2.5	*	*	*	*	*	*	2.9	5.4	6.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

All races, both sexes 1999.....	1.5	1.5	0.2	*	*	*	0.1	0.4	0.5	0.7
All races, male 1999.....	1.6	1.9	*	*	*	*	*	0.4	0.6	0.8
All races, female 1999.....	1.4	1.2	*	*	*	*	*	0.3	0.4	0.5
White, both sexes 1999.....	1.4	1.2	*	*	*	*	*	0.3	0.3	0.5
White, male 1999.....	1.5	1.5	*	*	*	*	*	0.3	0.4	0.7
White, female 1999.....	1.2	*	*	*	*	*	*	*	0.3	0.3
All other, both sexes 1999.....	2.0	2.9	*	*	*	*	*	0.7	1.3	1.5
All other, male 1999.....	2.1	*	*	*	*	*	*	*	1.4	1.5
All other, female 1999.....	1.9	*	*	*	*	*	*	*	1.1	1.5
Black, both sexes 1999.....	2.3	4.0	*	*	*	*	*	0.9	1.7	1.9
Black, male 1999.....	2.4	*	*	*	*	*	*	*	2.0	2.0
Black, female 1999.....	2.3	*	*	*	*	*	*	*	1.5	1.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Trypanosomiasis (B56-B57)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Helminthiases (B65-B83)

[illegible]

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
II. Neoplasms (C00-D48)										
All races, both sexes 1999.....	206.5	3.3	3.2	2.9	2.8	4.0	5.7	8.1	13.6	26.2
All races, male 1999.....	219.4	3.4	3.4	3.0	2.9	4.7	6.6	8.7	13.0	22.7
All races, female 1999.....	194.2	3.2	3.0	2.7	2.6	3.4	4.8	7.6	14.3	29.6
White, both sexes 1999.....	217.7	3.1	3.3	2.9	2.7	3.9	5.5	8.1	13.2	24.9
White, male 1999.....	229.6	3.4	3.5	3.1	2.9	4.4	6.4	8.6	12.5	22.0
White, female 1999.....	206.3	2.8	3.2	2.6	2.5	3.3	4.6	7.6	13.8	27.8
All other, both sexes 1999.....	153.9	4.0	2.6	2.9	3.0	4.7	6.4	8.3	15.7	32.2
All other, male 1999.....	170.3	*	2.8	2.8	3.3	5.9	7.3	9.1	14.9	26.1
All other, female 1999.....	138.9	*	2.3	3.0	2.7	3.5	5.4	7.6	16.4	37.7
Black, both sexes 1999.....	181.1	4.6	2.8	3.1	3.3	5.0	7.1	9.3	17.2	37.5
Black, male 1999.....	201.5	*	3.2	2.9	3.7	6.1	7.8	9.8	15.5	29.3
Black, female 1999.....	162.5	*	2.4	3.2	3.0	3.8	6.5	8.8	18.6	44.8

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasms (C00-C97)										
All races, both sexes 1999.....	201.6	1.8	2.8	2.6	2.6	3.8	5.4	7.8	13.1	25.6
All races, male 1999.....	214.5	1.8	2.9	2.7	2.8	4.4	6.3	8.3	12.3	22.0
All races, female 1999.....	189.4	1.7	2.6	2.4	2.4	3.1	4.6	7.4	13.8	29.1
White, both sexes 1999.....	212.5	1.8	2.9	2.5	2.5	3.6	5.3	7.8	12.6	24.3
White, male 1999.....	224.2	2.0	3.2	2.8	2.7	4.2	6.1	8.3	12.0	21.3
White, female 1999.....	201.1	1.5	2.7	2.3	2.3	3.1	4.4	7.4	13.3	27.3
All other, both sexes 1999.....	151.0	*	2.1	2.6	2.9	4.3	6.0	7.9	14.9	31.4
All other, male 1999.....	167.5	*	2.1	2.5	3.1	5.4	7.0	8.4	13.9	25.2
All other, female 1999.....	135.9	*	2.1	2.7	2.6	3.2	5.1	7.4	15.7	36.9
Black, both sexes 1999.....	177.7	*	2.2	2.7	3.2	4.6	6.6	8.9	16.4	36.5
Black, male 1999.....	198.4	*	2.3	2.6	3.5	5.6	7.3	9.1	14.6	28.2
Black, female 1999.....	159.0	*	2.1	2.8	2.8	3.5	6.0	8.7	18.0	43.8

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Of lip (C00)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

Of pancreas (C25)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasm of breast (C50)										
All races, both sexes 1999.....	15.2	*	*	*	*	*	*	0.5	1.8	4.4
All races, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
All races, female 1999.....	29.5	*	*	*	*	*	*	0.9	3.5	8.7
White, both sexes 1999.....	15.8	*	*	*	*	*	*	0.4	1.5	3.8
White, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
White, female 1999.....	30.7	*	*	*	*	*	*	0.8	3.1	7.6
All other, both sexes 1999.....	12.8	*	*	*	*	*	*	0.7	2.8	7.1
All other, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
All other, female 1999.....	24.1	*	*	*	*	*	*	1.4	5.3	13.2
Black, both sexes 1999.....	15.6	*	*	*	*	*	*	1.0	3.8	9.0
Black, male 1999.....	0.4	*	*	*	*	*	*	*	*	*
Black, female 1999.....	29.3	*	*	*	*	*	*	1.8	7.0	16.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

All races, both sexes 1999.....	9.5	*	*	*	*	*	0.2	0.6	1.1	2.3
All races, female 1999.....	18.6	*	*	*	*	*	0.4	1.1	2.2	4.5
White, both sexes 1999.....	9.9	*	*	*	*	*	0.2	0.6	1.1	2.2
White, female 1999.....	19.5	*	*	*	*	*	0.4	1.1	2.2	4.3
All other, both sexes 1999.....	7.4	*	*	*	*	*	*	0.5	1.3	2.7
All other, female 1999.....	14.1	*	*	*	*	*	*	1.0	2.4	5.1
Black, both sexes 1999.....	8.8	*	*	*	*	*	*	*	1.4	2.9
Black, female 1999.....	16.7	*	*	*	*	*	*	*	2.6	5.5

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Of placenta (C58)

All races, both sexes 1999.....	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All races, both sexes 1999.....	11.6	*	*	*	*	*	*	*	*
All races, male 1999.....	23.8	*	*	*	*	*	*	*	*
White, both sexes 1999.....	11.6	*	*	*	*	*	*	*	*
White, male 1999.....	23.6	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	11.9	*	*	*	*	*	*	*	*
All other, male 1999.....	25.0	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	15.4	*	*	*	*	*	*	*	*
Black, male 1999.....	32.4	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes 1999.....	20.7	0.8	0.9	0.7	1.1	1.5	2.3	2.3	2.7	3.7
All races, male 1999.....	22.3	*	1.0	0.8	1.2	1.8	2.8	2.7	3.2	4.4
All races, female 1999.....	19.1	*	0.8	0.6	0.9	1.3	1.8	2.0	2.2	3.0
White, both sexes 1999.....	22.3	0.8	1.0	0.7	1.0	1.5	2.3	2.3	2.6	3.7
White, male 1999.....	24.1	*	1.0	0.9	1.1	1.7	2.9	2.6	3.1	4.4
White, female 1999.....	20.7	*	0.9	0.6	0.9	1.3	1.7	2.0	2.2	2.9
All other, both sexes 1999.....	12.7	*	*	0.7	1.3	1.7	2.3	2.5	3.1	4.0
All other, male 1999.....	13.8	*	*	*	1.5	2.1	2.4	3.1	4.0	4.7
All other, female 1999.....	11.8	*	*	*	1.0	1.3	2.2	1.9	2.3	3.3
Black, both sexes 1999.....	14.6	*	*	0.7	1.4	1.8	3.0	2.8	3.3	4.7
Black, male 1999.....	15.6	*	*	*	1.8	2.1	3.1	3.4	4.4	5.4
Black, female 1999.....	13.6	*	*	*	*	1.4	2.9	2.1	2.3	4.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and unspecified lymphoid, hematopoietic and related tissue (C96)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Leukemia (C91-C95)										
All races, both sexes 1999.....	7.7	0.7	0.8	0.7	0.9	1.1	1.4	1.3	1.3	1.7
All races, male 1999.....	8.6	*	0.8	0.7	1.0	1.3	1.8	1.4	1.5	1.8
All races, female 1999.....	6.8	*	0.7	0.6	0.8	0.9	1.1	1.2	1.2	1.5
White, both sexes 1999.....	8.4	0.8	0.9	0.7	0.9	1.1	1.5	1.3	1.3	1.7
White, male 1999.....	9.4	*	0.9	0.8	0.9	1.2	1.8	1.4	1.4	1.8
White, female 1999.....	7.4	*	0.8	0.6	0.8	1.0	1.0	1.2	1.2	1.5
All other, both sexes 1999.....	4.4	*	*	0.6	1.0	1.2	1.4	1.2	1.5	1.7
All other, male 1999.....	4.9	*	*	*	1.3	1.6	1.4	1.4	1.8	1.8
All other, female 1999.....	3.9	*	*	*	*	*	1.5	*	1.1	1.6
Black, both sexes 1999.....	4.9	*	*	*	1.1	1.2	1.7	1.1	1.4	1.8
Black, male 1999.....	5.4	*	*	*	1.5	1.6	1.6	*	1.8	1.8
Black, female 1999.....	4.5	*	*	*	*	*	1.8	*	*	1.8

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

All races, both sexes 1999.....	3.3	2.5	0.5	0.2	0.3	0.4	0.6	0.7	1.1	1.2
All races, male 1999.....	2.9	3.0	0.6	0.2	0.3	0.4	0.7	0.8	1.1	1.4
All races, female 1999.....	3.8	1.9	0.4	0.3	*	0.4	0.6	0.6	1.0	1.1
White, both sexes 1999.....	3.0	1.8	0.4	0.2	0.2	0.3	0.3	0.3	0.4	0.6
White, male 1999.....	2.6	2.1	0.5	*	*	0.3	*	0.3	0.5	0.7
White, female 1999.....	3.5	1.4	*	*	*	0.3	*	*	0.4	0.4
All other, both sexes 1999.....	4.7	5.2	1.2	0.5	0.6	0.7	2.2	2.3	3.7	4.4
All other, male 1999.....	4.4	6.2	1.3	*	*	*	2.5	2.5	4.0	4.8
All other, female 1999.....	5.0	*	*	*	*	*	1.8	2.0	3.5	4.0
Black, both sexes 1999.....	6.0	5.8	1.5	0.6	0.6	0.9	2.8	3.0	5.2	5.9
Black, male 1999.....	5.5	6.9	*	*	*	*	3.3	3.4	5.7	6.5
Black, female 1999.....	6.4	*	*	*	*	*	2.3	2.6	4.9	5.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Anemias (D50-D64)										
All races, both sexes 1999.....	1.7	*	0.2	0.1	0.1	0.2	0.4	0.4	0.5	0.4
All races, male 1999.....	1.3	*	*	*	*	0.2	0.5	0.4	0.5	0.4
All races, female 1999.....	2.0	*	*	*	*	*	0.4	0.3	0.5	0.4
White, both sexes 1999.....	1.5	*	*	*	*	*	*	*	*	0.1
White, male 1999.....	1.1	*	*	*	*	*	*	*	*	*
White, female 1999.....	1.9	*	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	2.3	*	0.7	*	*	0.6	1.7	1.6	2.2	1.7
All other, male 1999.....	2.2	*	*	*	*	*	2.1	1.8	2.4	1.9
All other, female 1999.....	2.4	*	*	*	*	*	1.3	1.3	2.1	1.5
Black, both sexes 1999.....	2.9	*	0.9	*	*	0.8	2.3	2.1	3.1	2.3
Black, male 1999.....	2.8	*	*	*	*	*	2.8	2.4	3.4	2.6
Black, female 1999.....	3.1	*	*	*	*	*	1.8	1.9	2.9	2.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Hemolytic anemias (D55-D59)										
All races, both sexes 1999.....	0.3	*	0.1	*	*	0.1	0.3	0.3	0.4	0.3
All races, male 1999.....	0.3	*	*	*	*	*	0.4	0.3	0.4	0.3
All races, female 1999.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.3
White, both sexes 1999.....	0.1	*	*	*	*	*	*	*	*	*
White, male 1999.....	0.1	*	*	*	*	*	*	*	*	*
White, female 1999.....	0.2	*	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	1.1	*	0.6	*	*	0.5	1.4	1.5	2.1	1.5
All other, male 1999.....	1.3	*	*	*	*	*	1.9	1.7	2.3	1.7
All other, female 1999.....	1.0	*	*	*	*	*	*	1.3	1.9	1.4
Black, both sexes 1999.....	1.5	*	0.9	*	*	0.7	1.9	2.0	2.9	2.1
Black, male 1999.....	1.7	*	*	*	*	*	2.6	2.2	3.3	2.3
Black, female 1999.....	1.4	*	*	*	*	*	*	1.8	2.6	1.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

All races, both sexes 1999.....	34.1	6.8	1.0	0.5	0.6	1.1	1.7	2.3	3.3	5.0
All races, male 1999.....	30.6	7.2	1.1	0.5	0.6	1.1	1.5	2.4	3.8	5.9
All races, female 1999.....	37.4	6.4	0.9	0.5	0.6	1.1	1.8	2.3	2.7	4.1
White, both sexes 1999.....	33.7	5.9	1.1	0.5	0.6	1.2	1.6	2.2	2.8	4.3
White, male 1999.....	30.5	6.2	1.2	0.5	0.6	1.2	1.5	2.3	3.2	5.1
White, female 1999.....	36.7	5.6	0.9	0.5	0.6	1.1	1.8	2.1	2.5	3.5
All other, both sexes 1999.....	35.8	10.3	0.8	0.6	0.6	1.0	1.9	2.9	5.0	8.1
All other, male 1999.....	30.9	11.2	*	*	*	*	1.9	2.8	6.3	9.4
All other, female 1999.....	40.3	9.5	*	*	*	1.1	1.9	2.9	3.9	7.0
Black, both sexes 1999.....	43.0	12.1	0.9	0.6	0.7	1.1	2.2	3.8	6.6	10.3
Black, male 1999.....	36.5	13.5	*	*	*	*	2.2	3.5	8.1	11.9
Black, female 1999.....	48.9	10.7	*	*	*	*	2.2	4.0	5.2	9.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Endocrine diseases (E00-E34)

All races, both sexes 1999.....	26.1	1.0	0.1	*	0.1	0.3	0.7	1.2	2.1	3.4
All races, male 1999.....	24.0	*	*	*	*	0.3	0.7	1.2	2.4	4.0
All races, female 1999.....	28.1	1.3	*	*	*	0.3	0.7	1.2	1.8	2.8
White, both sexes 1999.....	25.3	1.0	*	*	*	0.3	0.6	1.1	1.8	2.9
White, male 1999.....	23.7	*	*	*	*	0.3	0.6	1.1	2.0	3.5
White, female 1999.....	26.9	1.4	*	*	*	0.3	0.5	1.0	1.5	2.3
All other, both sexes 1999.....	29.6	*	*	*	*	*	1.1	1.7	3.5	5.7
All other, male 1999.....	25.1	*	*	*	*	*	*	1.4	4.2	6.6
All other, female 1999.....	33.6	*	*	*	*	*	1.2	1.9	2.9	4.9
Black, both sexes 1999.....	35.3	*	*	*	*	*	1.3	2.2	4.6	7.3
Black, male 1999.....	29.6	*	*	*	*	*	*	1.8	5.4	8.4
Black, female 1999.....	40.4	*	*	*	*	*	*	2.6	3.9	6.3

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Diabetes mellitus (E10-E14)										
All races, both sexes 1999.....	25.1	*	*	*	0.1	0.3	0.6	1.0	2.0	3.2
All races, male 1999.....	23.4	*	*	*	*	0.2	0.6	1.0	2.3	3.9
All races, female 1999.....	26.7	*	*	*	*	0.3	0.6	1.0	1.7	2.6
White, both sexes 1999.....	24.3	*	*	*	*	0.2	0.5	0.9	1.7	2.8
White, male 1999.....	23.2	*	*	*	*	0.3	0.5	1.0	1.9	3.4
White, female 1999.....	25.4	*	*	*	*	*	0.4	0.9	1.5	2.1
All other, both sexes 1999.....	28.7	*	*	*	*	*	1.0	1.4	3.2	5.3
All other, male 1999.....	24.4	*	*	*	*	*	*	1.2	4.0	6.2
All other, female 1999.....	32.6	*	*	*	*	*	*	1.5	2.5	4.5
Black, both sexes 1999.....	34.2	*	*	*	*	*	1.1	1.9	4.2	6.7
Black, male 1999.....	28.7	*	*	*	*	*	*	1.7	5.2	7.8
Black, female 1999.....	39.2	*	*	*	*	*	*	2.1	3.4	5.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Metabolic disorders (E70-E88)										
All races, both sexes 1999.....	5.5	5.6	0.9	0.4	0.5	0.7	0.8	0.7	0.5	0.6
All races, male 1999.....	4.6	6.2	0.9	0.4	0.5	0.7	0.7	0.8	0.5	0.7
All races, female 1999.....	6.3	4.9	0.8	0.4	0.4	0.7	0.9	0.6	0.5	0.6
White, both sexes 1999.....	5.8	4.8	0.9	0.4	0.5	0.8	0.9	0.8	0.6	0.6
White, male 1999.....	4.8	5.5	1.0	0.4	0.5	0.8	0.8	0.8	0.5	0.7
White, female 1999.....	6.8	4.1	0.8	0.4	0.5	0.8	1.0	0.8	0.6	0.5
All other, both sexes 1999.....	3.8	8.6	0.6	0.5	*	*	*	*	*	0.8
All other, male 1999.....	3.6	9.2	*	*	*	*	*	*	*	*
All other, female 1999.....	3.9	7.9	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	4.6	9.8	*	*	*	*	*	*	*	0.9
Black, male 1999.....	4.3	11.1	*	*	*	*	*	*	*	*
Black, female 1999.....	4.8	8.6	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

VI. Diseases of the nervous system (G00-G98)

All races, both sexes 1999.....	30.8	11.5	2.4	1.3	1.3	1.9	2.3	2.1	2.3	3.3
All races, male 1999.....	25.7	12.2	2.6	1.4	1.4	2.6	3.1	2.5	2.7	3.8
All races, female 1999.....	35.8	10.9	2.2	1.2	1.2	1.2	1.5	1.7	1.9	2.8
White, both sexes 1999.....	34.3	10.3	2.2	1.2	1.2	1.8	2.1	2.1	2.1	3.1
White, male 1999.....	28.3	11.7	2.5	1.3	1.2	2.6	2.9	2.5	2.5	3.7
White, female 1999.....	40.1	8.8	1.8	1.1	1.1	1.0	1.3	1.6	1.7	2.5
All other, both sexes 1999.....	14.5	16.4	3.3	1.8	1.7	2.2	3.0	2.2	2.9	4.1
All other, male 1999.....	12.9	14.2	3.1	2.1	2.2	2.6	4.0	2.7	3.5	4.4
All other, female 1999.....	16.0	18.7	3.5	1.5	1.2	1.8	1.9	1.9	2.5	3.7
Black, both sexes 1999.....	17.3	19.0	3.7	2.1	1.9	2.5	3.5	2.9	3.6	5.3
Black, male 1999.....	15.2	17.0	3.5	2.6	2.5	3.0	4.9	3.4	4.1	5.6
Black, female 1999.....	19.2	21.1	3.8	1.7	1.3	2.1	2.1	2.4	3.2	5.1

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Meningitis (G00,G03)										
All races, both sexes 1999.....	0.3	3.0	0.3	*	*	*	0.1	0.1	0.1	0.1
All races, male 1999.....	0.3	3.1	0.3	*	*	*	*	*	*	*
All races, female 1999.....	0.3	2.9	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.3	2.2	0.3	*	*	*	*	*	*	0.1
White, male 1999.....	0.3	3.0	0.3	*	*	*	*	*	*	*
White, female 1999.....	0.3	1.5	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.5	6.1	*	*	*	*	*	*	*	*
All other, male 1999.....	0.6	*	*	*	*	*	*	*	*	*
All other, female 1999.....	0.5	8.5	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.6	7.4	*	*	*	*	*	*	*	*
Black, male 1999.....	0.7	*	*	*	*	*	*	*	*	*
Black, female 1999.....	0.6	10.4	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

All races, both sexes 1999.....	6.7	7.7	1.2	0.6	0.6	1.0	1.2	0.9	1.1	1.8
All races, male 1999.....	7.1	8.6	1.2	0.6	0.7	1.5	1.8	1.2	1.4	2.2
All races, female 1999.....	6.2	6.7	1.2	0.6	0.5	0.4	0.6	0.7	0.8	1.3
White, both sexes 1999.....	7.0	7.4	1.1	0.5	0.5	1.0	1.2	1.0	1.0	1.7
White, male 1999.....	7.6	8.3	1.1	0.6	0.5	1.6	1.8	1.3	1.3	2.2
White, female 1999.....	6.5	6.4	1.1	0.5	0.5	0.3	0.6	0.7	0.8	1.2
All other, both sexes 1999.....	5.0	8.7	1.6	0.7	0.8	0.8	1.3	0.7	1.4	2.1
All other, male 1999.....	5.1	9.4	1.4	*	1.1	*	1.8	*	1.8	2.4
All other, female 1999.....	4.9	7.9	1.8	*	*	*	*	*	1.0	1.8
Black, both sexes 1999.....	5.9	9.7	1.5	0.9	0.9	0.8	1.4	0.9	1.8	2.7
Black, male 1999.....	6.0	11.1	*	*	1.3	*	2.2	*	2.2	2.9
Black, female 1999.....	5.9	8.2	*	*	*	*	*	*	*	2.5

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

IX. Diseases of the circulatory system (I00-I99)

All races, both sexes 1999.....	350.0	17.5	1.6	0.7	1.1	2.8	4.4	7.1	13.5	26.7
All races, male 1999.....	332.8	18.4	1.7	0.8	1.1	3.5	5.0	8.6	17.4	35.2
All races, female 1999.....	366.4	16.4	1.4	0.6	1.0	2.2	3.7	5.6	9.7	18.2
White, both sexes 1999.....	370.8	14.9	1.3	0.7	0.9	2.5	3.6	5.9	11.3	22.6
White, male 1999.....	349.8	15.7	1.5	0.8	1.0	3.0	4.1	7.2	15.0	30.6
White, female 1999.....	391.0	14.1	1.2	0.6	0.9	2.0	3.1	4.5	7.6	14.5
All other, both sexes 1999.....	252.8	27.1	2.4	0.8	1.6	4.2	7.5	12.0	22.6	45.4
All other, male 1999.....	251.0	29.1	2.4	0.9	1.8	5.3	8.9	14.5	28.1	58.0
All other, female 1999.....	254.4	25.1	2.3	*	1.4	3.0	6.0	9.8	17.7	34.1
Black, both sexes 1999.....	302.1	31.8	2.8	1.1	1.9	5.1	9.4	15.4	28.4	57.2
Black, male 1999.....	295.1	33.6	2.9	*	2.2	6.5	11.0	18.6	35.2	71.9
Black, female 1999.....	308.4	30.0	2.6	*	1.6	3.6	7.8	12.4	22.5	44.1

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	1/ UNDER 1/ YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Hypertensive diseases (I10-I13)										
All races, both sexes 1999.....	15.8	*	*	*	*	*	0.2	0.4	1.2	2.2
All races, male 1999.....	12.9	*	*	*	*	*	0.3	0.6	1.6	2.9
All races, female 1999.....	18.5	*	*	*	*	*	*	0.2	0.7	1.5
White, both sexes 1999.....	14.1	*	*	*	*	*	*	0.3	0.7	1.2
White, male 1999.....	11.0	*	*	*	*	*	*	0.4	1.2	1.7
White, female 1999.....	17.1	*	*	*	*	*	*	*	0.3	0.7
All other, both sexes 1999.....	23.5	*	*	*	*	*	0.7	1.1	3.0	6.8
All other, male 1999.....	22.0	*	*	*	*	*	*	1.5	3.5	8.6
All other, female 1999.....	24.8	*	*	*	*	*	*	*	2.6	5.2
Black, both sexes 1999.....	29.7	*	*	*	*	*	1.0	1.5	4.1	9.1
Black, male 1999.....	27.8	*	*	*	*	*	*	2.0	4.5	11.4
Black, female 1999.....	31.4	*	*	*	*	*	*	*	3.7	7.0

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Hypertensive heart and renal disease (I13)

All races, both sexes 1999.....	1.2	*	*	*	*	*	*	*	0.2
All races, male 1999.....	1.0	*	*	*	*	*	*	*	0.2
All races, female 1999.....	1.4	*	*	*	*	*	*	*	*
White, both sexes 1999.....	1.0	*	*	*	*	*	*	*	*
White, male 1999.....	0.8	*	*	*	*	*	*	*	*
White, female 1999.....	1.2	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	2.3	*	*	*	*	*	*	*	0.7
All other, male 1999.....	2.1	*	*	*	*	*	*	*	*
All other, female 1999.....	2.4	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	2.9	*	*	*	*	*	*	*	1.0
Black, male 1999.....	2.6	*	*	*	*	*	*	*	*
Black, female 1999.....	3.1	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other forms of chronic ischemic heart disease (I20,I25)

All races, both sexes 1999.....	119.9	*	*	*	*	0.1	0.3	0.8	2.2	6.3
All races, male 1999.....	121.1	*	*	*	*	0.2	0.3	1.1	3.4	9.6
All races, female 1999.....	118.7	*	*	*	*	*	*	0.5	1.0	3.1
White, both sexes 1999.....	128.8	*	*	*	*	*	0.2	0.7	2.0	5.9
White, male 1999.....	129.3	*	*	*	*	*	*	1.0	3.1	8.9
White, female 1999.....	128.4	*	*	*	*	*	*	0.4	0.9	2.8
All other, both sexes 1999.....	78.3	*	*	*	*	*	0.6	1.1	2.9	8.5
All other, male 1999.....	82.0	*	*	*	*	*	*	1.6	4.4	12.8
All other, female 1999.....	74.9	*	*	*	*	*	*	*	1.6	4.6
Black, both sexes 1999.....	92.6	*	*	*	*	*	0.7	1.2	3.5	10.3
Black, male 1999.....	94.6	*	*	*	*	*	*	1.8	5.2	15.2
Black, female 1999.....	90.8	*	*	*	*	*	*	*	2.0	6.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other heart diseases (I26-I51)

All races, both sexes 1999.....	60.8	12.8	1.2	0.5	0.8	2.0	2.7	3.7	5.6	8.3
All races, male 1999.....	54.5	13.1	1.3	0.5	0.8	2.5	3.1	4.4	6.8	10.5
All races, female 1999.....	66.9	12.6	1.0	0.5	0.7	1.5	2.3	3.1	4.3	6.2
White, both sexes 1999.....	64.0	10.9	1.0	0.5	0.7	1.8	2.2	2.9	4.6	6.8
White, male 1999.....	56.2	11.2	1.1	0.5	0.7	2.1	2.5	3.6	5.7	8.7
White, female 1999.....	71.5	10.5	0.8	0.4	0.6	1.5	1.9	2.3	3.5	4.9
All other, both sexes 1999.....	45.8	20.3	1.9	0.6	1.1	2.9	4.6	6.9	9.7	15.5
All other, male 1999.....	46.0	20.1	1.9	*	1.3	3.8	5.6	8.0	12.0	19.4
All other, female 1999.....	45.7	20.5	1.8	*	*	1.8	3.6	5.9	7.7	12.0
Black, both sexes 1999.....	56.5	23.7	2.2	0.8	1.3	3.6	5.7	8.9	12.9	19.8
Black, male 1999.....	56.4	23.2	2.4	*	1.5	4.9	6.8	10.6	15.8	24.7
Black, female 1999.....	56.5	24.3	2.0	*	*	2.2	4.6	7.4	10.2	15.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)										
All races, both sexes 1999.....	4.9	5.7	*	0.1	*	0.3	0.5	0.7	1.1	1.5
All races, male 1999.....	4.0	5.8	*	*	*	0.3	0.4	0.5	0.9	1.3
All races, female 1999.....	5.6	5.6	*	*	*	0.4	0.7	0.9	1.3	1.7
White, both sexes 1999.....	4.8	5.1	*	*	*	0.3	0.5	0.5	0.8	1.3
White, male 1999.....	4.0	5.4	*	*	*	0.2	*	0.4	0.6	1.2
White, female 1999.....	5.6	4.8	*	*	*	0.4	0.7	0.7	1.0	1.3
All other, both sexes 1999.....	5.0	8.1	*	*	*	*	0.9	1.5	2.0	2.6
All other, male 1999.....	4.1	7.7	*	*	*	*	*	*	1.8	1.9
All other, female 1999.....	5.9	8.5	*	*	*	*	*	2.0	2.2	3.2
Black, both sexes 1999.....	6.4	10.0	*	*	*	*	1.0	1.9	2.7	3.3
Black, male 1999.....	5.3	9.3	*	*	*	*	*	*	2.6	2.4
Black, female 1999.....	7.5	10.7	*	*	*	*	*	2.4	2.8	4.2

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pulmonary embolism (I26)										
All races, both sexes 1999.....	3.3	*	*	*	*	0.2	0.4	0.5	0.7	1.0
All races, male 1999.....	2.8	*	*	*	*	*	0.3	0.3	0.7	0.9
All races, female 1999.....	3.8	*	*	*	*	*	0.5	0.6	0.8	1.0
White, both sexes 1999.....	3.3	*	*	*	*	0.1	0.3	0.3	0.6	0.8
White, male 1999.....	2.8	*	*	*	*	*	*	*	0.5	0.8
White, female 1999.....	3.8	*	*	*	*	*	0.4	0.4	0.6	0.8
All other, both sexes 1999.....	3.4	*	*	*	*	*	0.7	1.0	1.5	1.7
All other, male 1999.....	3.0	*	*	*	*	*	*	*	1.5	1.3
All other, female 1999.....	3.8	*	*	*	*	*	*	1.2	1.5	2.0
Black, both sexes 1999.....	4.5	*	*	*	*	*	0.8	1.3	2.1	2.1
Black, male 1999.....	3.9	*	*	*	*	*	*	*	2.1	1.5
Black, female 1999.....	4.9	*	*	*	*	*	*	1.5	2.1	2.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All races, both sexes 1999.....	1.6	5.7	*	0.1	*	0.1	0.2	0.3	0.3	0.5
All races, male 1999.....	1.2	5.8	*	*	*	*	*	*	*	0.4
All races, female 1999.....	1.9	5.5	*	*	*	*	0.3	0.3	0.5	0.7
White, both sexes 1999.....	1.5	5.1	*	*	*	0.2	0.2	0.2	0.3	0.5
White, male 1999.....	1.3	5.4	*	*	*	*	*	*	*	0.4
White, female 1999.....	1.8	4.7	*	*	*	*	*	*	0.4	0.5
All other, both sexes 1999.....	1.6	7.9	*	*	*	*	*	*	0.5	0.9
All other, male 1999.....	1.1	7.7	*	*	*	*	*	*	*	*
All other, female 1999.....	2.1	8.2	*	*	*	*	*	*	*	1.2
Black, both sexes 1999.....	2.0	9.8	*	*	*	*	*	*	*	1.3
Black, male 1999.....	1.4	9.3	*	*	*	*	*	*	*	*
Black, female 1999.....	2.6	10.4	*	*	*	*	*	*	*	1.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other non-pulmonary forms of heart disease (I30-I51)

All races, both sexes 1999.....	56.0	7.1	1.0	0.4	0.7	1.7	2.1	3.0	4.5	6.8
All races, male 1999.....	50.4	7.2	1.2	0.4	0.8	2.2	2.7	3.9	6.0	9.2
All races, female 1999.....	61.2	7.0	0.9	0.4	0.6	1.2	1.5	2.1	3.1	4.5
White, both sexes 1999.....	59.2	5.8	0.9	0.3	0.6	1.5	1.7	2.4	3.7	5.5
White, male 1999.....	52.2	5.9	1.0	0.4	0.7	1.9	2.2	3.1	5.0	7.5
White, female 1999.....	65.9	5.7	0.8	0.3	0.5	1.1	1.2	1.6	2.4	3.5
All other, both sexes 1999.....	40.8	12.2	1.7	0.6	1.1	2.6	3.7	5.4	7.7	12.9
All other, male 1999.....	41.9	12.4	1.7	*	1.2	3.6	4.8	7.1	10.1	17.5
All other, female 1999.....	39.9	12.1	1.6	*	*	1.6	2.7	3.9	5.6	8.8
Black, both sexes 1999.....	50.0	13.7	2.0	0.8	1.3	3.3	4.7	7.0	10.1	16.5
Black, male 1999.....	51.1	13.8	2.2	*	1.5	4.6	5.9	9.3	13.2	22.3
Black, female 1999.....	49.0	13.6	1.8	*	*	1.9	3.4	5.0	7.4	11.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Nonrheumatic aortic valve disorders (I35)

All races, both sexes 1999.....	4.5	*	*	*	*	*	*	0.1	0.2
All races, male 1999.....	3.6	*	*	*	*	*	*	*	0.3
All races, female 1999.....	5.3	*	*	*	*	*	*	*	*
White, both sexes 1999.....	5.1	*	*	*	*	*	*	*	0.2
White, male 1999.....	4.1	*	*	*	*	*	*	*	0.3
White, female 1999.....	6.1	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	1.6	*	*	*	*	*	*	*	*
All other, male 1999.....	1.5	*	*	*	*	*	*	*	*
All other, female 1999.....	1.7	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	1.8	*	*	*	*	*	*	*	*
Black, male 1999.....	1.6	*	*	*	*	*	*	*	*
Black, female 1999.....	1.9	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Cardiomyopathy (I42)										
All races, both sexes 1999.....	10.0	3.5	0.2	0.1	0.3	0.6	0.7	1.3	1.9	3.0
All races, male 1999.....	11.8	3.1	*	*	0.3	0.9	0.9	1.8	2.5	4.4
All races, female 1999.....	8.3	3.8	*	*	*	0.3	0.5	0.8	1.2	1.7
White, both sexes 1999.....	9.8	3.0	0.2	*	0.2	0.4	0.5	0.9	1.5	2.3
White, male 1999.....	11.3	2.6	*	*	*	0.6	0.7	1.3	2.1	3.3
White, female 1999.....	8.2	3.5	*	*	*	0.3	0.3	0.6	0.9	1.3
All other, both sexes 1999.....	11.1	5.2	*	*	0.5	1.4	1.5	2.7	3.5	6.5
All other, male 1999.....	13.8	5.2	*	*	*	2.1	1.9	3.7	4.6	9.7
All other, female 1999.....	8.7	5.1	*	*	*	*	*	1.8	2.4	3.6
Black, both sexes 1999.....	13.7	5.5	*	*	0.6	1.8	1.9	3.3	4.5	8.2
Black, male 1999.....	17.0	*	*	*	*	2.7	2.5	4.6	6.0	12.1
Black, female 1999.....	10.6	*	*	*	*	*	*	2.1	3.2	4.7

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

All races, both sexes 1999.....	14.7	1.0	0.3	*	0.2	0.4	0.5	0.7	0.9	1.3
All races, male 1999.....	13.3	1.2	0.3	*	0.2	0.5	0.7	0.9	1.2	1.5
All races, female 1999.....	16.0	*	*	*	*	0.4	0.4	0.6	0.7	1.0
White, both sexes 1999.....	15.5	0.8	0.3	*	0.2	0.4	0.5	0.6	0.8	1.1
White, male 1999.....	13.8	*	0.3	*	*	0.5	0.6	0.8	1.0	1.4
White, female 1999.....	17.1	*	*	*	*	0.4	0.4	0.5	0.5	0.8
All other, both sexes 1999.....	10.9	*	*	*	*	*	0.9	1.1	1.6	2.3
All other, male 1999.....	10.9	*	*	*	*	*	1.1	1.2	1.8	2.5
All other, female 1999.....	10.9	*	*	*	*	*	*	*	1.4	2.2
Black, both sexes 1999.....	13.5	*	*	*	*	*	1.1	1.5	2.1	3.2
Black, male 1999.....	13.4	*	*	*	*	*	*	1.7	2.3	3.4
Black, female 1999.....	13.6	*	*	*	*	*	*	*	1.8	3.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Cerebrovascular diseases (I60-I69)										
All races, both sexes 1999.....	61.4	2.7	0.3	0.1	0.2	0.3	0.6	1.1	1.9	4.1
All races, male 1999.....	48.4	3.3	0.3	*	*	0.4	0.6	1.1	2.0	4.0
All races, female 1999.....	73.8	2.0	0.3	*	0.2	0.3	0.6	1.1	1.8	4.1
White, both sexes 1999.....	64.5	2.3	0.3	0.1	0.2	0.3	0.6	1.0	1.6	3.3
White, male 1999.....	49.7	2.8	*	*	*	0.3	0.6	1.0	1.8	3.2
White, female 1999.....	78.7	1.8	*	*	*	*	0.6	1.0	1.5	3.3
All other, both sexes 1999.....	46.9	4.2	*	*	*	0.5	0.7	1.5	3.2	7.8
All other, male 1999.....	41.9	5.5	*	*	*	*	*	1.6	3.2	7.8
All other, female 1999.....	51.4	*	*	*	*	*	*	1.4	3.2	7.8
Black, both sexes 1999.....	54.2	4.9	*	*	*	*	0.9	1.9	3.7	9.2
Black, male 1999.....	47.7	*	*	*	*	*	*	1.9	3.8	9.1
Black, female 1999.....	60.0	*	*	*	*	*	*	1.9	3.7	9.4

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intracerebral and other intracranial hemorrhage (I61-I62)

All races, both sexes 1999.....	9.3	1.1	*	*	*	0.1	0.2	0.4	0.6	1.6
All races, male 1999.....	8.7	1.3	*	*	*	*	0.3	0.4	0.8	1.8
All races, female 1999.....	10.0	*	*	*	*	*	*	0.4	0.5	1.4
White, both sexes 1999.....	9.4	0.8	*	*	*	*	0.2	0.3	0.5	1.1
White, male 1999.....	8.5	*	*	*	*	*	*	0.3	0.6	1.2
White, female 1999.....	10.2	*	*	*	*	*	*	0.4	0.3	0.9
All other, both sexes 1999.....	9.2	*	*	*	*	*	*	0.6	1.3	3.8
All other, male 1999.....	9.5	*	*	*	*	*	*	*	1.5	4.4
All other, female 1999.....	8.9	*	*	*	*	*	*	*	1.2	3.2
Black, both sexes 1999.....	9.9	*	*	*	*	*	*	*	1.5	4.5
Black, male 1999.....	10.2	*	*	*	*	*	*	*	1.6	5.1
Black, female 1999.....	9.6	*	*	*	*	*	*	*	1.4	4.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

X. Diseases of the respiratory system (J00-J98)

All races, both sexes 1999.....	84.3	18.0	2.1	0.7	1.0	1.3	1.6	2.3	3.0	4.7
All races, male 1999.....	83.5	19.5	2.2	0.7	1.2	1.4	1.8	2.4	3.2	5.0
All races, female 1999.....	85.1	16.4	1.9	0.6	0.8	1.2	1.4	2.2	2.8	4.4
White, both sexes 1999.....	92.9	13.1	1.6	0.6	0.8	1.1	1.3	1.7	2.4	4.0
White, male 1999.....	90.7	14.5	1.5	0.6	0.9	1.2	1.4	1.9	2.6	4.2
White, female 1999.....	95.0	11.6	1.7	0.6	0.6	1.0	1.1	1.6	2.3	3.7
All other, both sexes 1999.....	44.1	36.7	4.0	1.0	1.7	1.8	2.9	4.5	5.4	8.1
All other, male 1999.....	48.9	38.7	5.1	1.2	2.0	1.9	3.5	4.4	5.8	8.8
All other, female 1999.....	39.7	34.6	2.8	*	1.4	1.6	2.3	4.5	5.2	7.5
Black, both sexes 1999.....	51.0	44.3	4.5	1.2	2.2	2.1	3.6	5.9	7.1	10.3
Black, male 1999.....	56.1	47.4	5.7	1.6	2.6	2.3	4.3	5.8	7.6	11.1
Black, female 1999.....	46.4	41.1	3.3	*	1.7	1.8	2.9	6.0	6.7	9.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All races, both sexes
1999.....*
All races, male
1999.....*
All races, female
1999.....*
White, both sexes
1999.....*
White, male
1999.....*
White, female
1999.....*
All other, both sexes
1999.....*
All other, male
1999.....*
All other, female
1999.....*
Black, both sexes
1999.....*
Black, male
1999.....*
Black, female
1999.....*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other diseases of the respiratory system (J10-J98)

All races, both sexes 1999.....	84.2	17.7	2.0	0.7	1.0	1.3	1.6	2.2	3.0	4.7
All races, male 1999.....	83.4	19.2	2.1	0.7	1.2	1.4	1.8	2.3	3.1	4.9
All races, female 1999.....	85.0	16.2	1.9	0.6	0.8	1.2	1.4	2.2	2.8	4.4
White, both sexes 1999.....	92.8	12.9	1.5	0.6	0.8	1.1	1.3	1.7	2.4	3.9
White, male 1999.....	90.6	14.3	1.3	0.6	0.9	1.2	1.4	1.8	2.6	4.1
White, female 1999.....	95.0	11.5	1.6	0.6	0.6	1.0	1.1	1.5	2.3	3.7
All other, both sexes 1999.....	44.0	36.1	3.9	1.0	1.7	1.8	2.9	4.5	5.3	8.0
All other, male 1999.....	48.8	38.0	5.0	1.2	2.0	1.9	3.5	4.4	5.6	8.8
All other, female 1999.....	39.6	34.1	2.8	*	1.4	1.6	2.3	4.5	5.1	7.4
Black, both sexes 1999.....	50.9	43.6	4.4	1.1	2.2	2.0	3.6	5.9	7.0	10.3
Black, male 1999.....	56.0	46.7	5.4	1.4	2.6	2.3	4.3	5.8	7.3	11.1
Black, female 1999.....	46.4	40.4	3.3	*	1.7	1.8	2.9	6.0	6.6	9.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pneumonia (J12-J18)										
All races, both sexes 1999.....	22.8	8.0	0.8	0.2	0.2	0.3	0.6	0.7	1.0	2.0
All races, male 1999.....	20.3	8.5	0.7	0.2	0.2	0.3	0.6	0.8	1.2	2.2
All races, female 1999.....	25.1	7.6	0.8	*	*	0.3	0.5	0.6	0.8	1.8
White, both sexes 1999.....	24.5	5.8	0.6	0.2	0.2	0.3	0.4	0.6	0.8	1.7
White, male 1999.....	21.5	6.6	0.4	*	0.3	0.3	0.5	0.7	1.0	1.9
White, female 1999.....	27.5	5.1	0.7	*	*	0.3	0.4	0.5	0.6	1.6
All other, both sexes 1999.....	14.4	16.4	1.6	*	*	*	1.1	1.3	1.8	3.2
All other, male 1999.....	14.8	15.6	1.9	*	*	*	1.1	1.5	2.1	3.6
All other, female 1999.....	14.1	17.2	1.4	*	*	*	*	1.2	1.5	3.0
Black, both sexes 1999.....	16.7	19.5	1.9	*	*	*	1.3	1.8	2.2	4.1
Black, male 1999.....	16.9	19.0	2.1	*	*	*	*	2.0	2.6	4.5
Black, female 1999.....	16.4	20.0	*	*	*	*	*	1.5	1.9	3.7

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes 1999.....	45.5	0.9	0.4	0.2	0.5	0.5	0.6	0.8	0.9	1.3
All races, male 1999.....	46.8	*	0.4	0.3	0.6	0.6	0.7	0.8	0.8	1.3
All races, female 1999.....	44.3	*	0.3	0.2	0.3	0.5	0.4	0.8	1.0	1.4
White, both sexes 1999.....	51.1	*	0.3	0.2	0.3	0.4	0.4	0.5	0.6	1.1
White, male 1999.....	51.7	*	*	*	0.4	0.4	0.4	0.4	0.6	1.0
White, female 1999.....	50.5	*	*	*	*	0.4	0.4	0.6	0.7	1.2
All other, both sexes 1999.....	19.6	2.5	0.7	0.5	1.2	1.0	1.2	1.9	2.2	2.5
All other, male 1999.....	23.6	*	*	*	1.6	1.2	1.7	2.1	2.1	2.7
All other, female 1999.....	16.0	*	*	*	*	*	*	1.8	2.2	2.4
Black, both sexes 1999.....	22.7	*	*	0.6	1.6	1.2	1.6	2.6	2.8	3.3
Black, male 1999.....	27.2	*	*	*	2.2	1.5	2.2	2.7	2.8	3.4
Black, female 1999.....	18.7	*	*	*	*	*	*	2.5	2.9	3.2

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

All races, both sexes 1999.....	45.2	0.9	0.4	0.2	0.5	0.5	0.6	0.8	0.9	1.3
All races, male 1999.....	46.6	*	0.4	0.3	0.6	0.6	0.7	0.7	0.8	1.3
All races, female 1999.....	43.8	*	0.3	0.2	0.3	0.5	0.4	0.8	1.0	1.4
White, both sexes 1999.....	50.7	*	0.3	0.2	0.3	0.4	0.4	0.5	0.6	1.1
White, male 1999.....	51.4	*	*	*	0.4	0.4	0.4	0.4	0.6	1.0
White, female 1999.....	50.0	*	*	*	*	0.4	0.4	0.5	0.7	1.2
All other, both sexes 1999.....	19.5	2.5	0.7	0.5	1.2	1.0	1.2	1.9	2.1	2.5
All other, male 1999.....	23.5	*	*	*	1.6	1.2	1.7	2.0	2.1	2.7
All other, female 1999.....	15.8	*	*	*	*	*	*	1.7	2.1	2.4
Black, both sexes 1999.....	22.6	*	*	0.6	1.6	1.2	1.6	2.5	2.8	3.3
Black, male 1999.....	27.1	*	*	*	2.2	1.5	2.2	2.7	2.8	3.4
Black, female 1999.....	18.5	*	*	*	*	*	*	2.3	2.9	3.2

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Asthma (J45-J46)										
All races, both sexes 1999.....	1.7	*	0.2	0.2	0.4	0.5	0.5	0.7	0.7	0.9
All races, male 1999.....	1.2	*	*	0.2	0.6	0.5	0.6	0.7	0.7	0.8
All races, female 1999.....	2.2	*	*	*	0.3	0.4	0.4	0.6	0.8	1.0
White, both sexes 1999.....	1.5	*	*	0.1	0.3	0.4	0.3	0.4	0.5	0.7
White, male 1999.....	0.9	*	*	*	0.3	0.4	0.4	0.4	0.4	0.6
White, female 1999.....	2.0	*	*	*	*	0.4	*	0.4	0.5	0.8
All other, both sexes 1999.....	2.8	*	*	0.5	1.1	0.9	1.1	1.8	1.8	2.1
All other, male 1999.....	2.5	*	*	*	1.6	1.0	1.5	2.0	1.9	2.1
All other, female 1999.....	3.0	*	*	*	*	*	*	1.5	1.7	2.0
Black, both sexes 1999.....	3.3	*	*	0.6	1.5	1.1	1.4	2.4	2.5	2.7
Black, male 1999.....	2.9	*	*	*	2.1	1.3	1.9	2.7	2.7	2.6
Black, female 1999.....	3.6	*	*	*	*	*	*	2.1	2.3	2.7

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Lung diseases due to external agents (J60-J70)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XI. Diseases of the digestive system (K00-K92)

All races, both sexes 1999.....	30.4	13.1	0.8	0.3	0.4	0.5	0.8	1.4	3.6	8.0
All races, male 1999.....	31.2	16.4	0.7	0.2	0.4	0.5	0.8	1.7	4.5	10.1
All races, female 1999.....	29.6	9.6	0.8	0.3	0.4	0.4	0.8	1.2	2.8	6.0
White, both sexes 1999.....	32.0	9.9	0.7	0.2	0.4	0.5	0.6	1.3	3.4	7.7
White, male 1999.....	32.4	12.3	0.5	*	0.4	0.5	0.6	1.6	4.3	9.9
White, female 1999.....	31.7	7.4	0.8	0.3	0.4	0.4	0.6	1.0	2.6	5.5
All other, both sexes 1999.....	22.7	25.2	1.1	*	0.5	0.6	1.4	1.8	4.5	9.6
All other, male 1999.....	25.3	32.3	1.5	*	*	*	1.3	2.0	5.7	11.4
All other, female 1999.....	20.4	17.9	*	*	*	*	1.5	1.7	3.4	7.9
Black, both sexes 1999.....	26.0	31.5	1.2	*	*	0.7	1.8	2.2	4.7	10.3
Black, male 1999.....	28.8	38.7	*	*	*	*	1.6	2.3	6.0	12.4
Black, female 1999.....	23.5	24.0	*	*	*	*	2.0	2.1	3.7	8.4

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Diseases of other parts of digestive system (K20-K92)										
All races, both sexes 1999.....	30.5	13.1	0.8	0.3	0.4	0.6	1.0	1.6	3.8	8.3
All races, male 1999.....	31.4	16.4	0.8	0.3	0.4	0.8	1.2	2.1	4.9	10.6
All races, female 1999.....	29.6	9.6	0.8	0.3	0.5	0.4	0.8	1.2	2.8	6.0
White, both sexes 1999.....	32.2	9.8	0.7	0.3	0.4	0.6	0.9	1.6	3.6	8.0
White, male 1999.....	32.7	12.2	0.6	0.3	0.4	0.9	1.1	2.1	4.7	10.4
White, female 1999.....	31.6	7.4	0.9	0.3	0.4	0.4	0.6	1.0	2.6	5.5
All other, both sexes 1999.....	22.8	25.4	1.1	*	0.5	0.6	1.5	1.9	4.6	9.6
All other, male 1999.....	25.4	32.5	1.5	*	*	*	1.5	2.2	5.9	11.5
All other, female 1999.....	20.4	17.9	*	*	*	*	1.5	1.7	3.5	7.9
Black, both sexes 1999.....	26.1	31.6	1.2	*	*	0.8	1.9	2.3	4.9	10.3
Black, male 1999.....	29.0	39.1	*	*	*	*	1.7	2.6	6.2	12.6
Black, female 1999.....	23.5	24.0	*	*	*	*	2.0	2.1	3.7	8.3

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

Hernia (K40-K46)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Crohn's disease and ulcerative colitis (K50-K51)

All races, both sexes 1999.....	0.3	*	*	*	*	*	*	*	*
All races, male 1999.....	0.2	*	*	*	*	*	*	*	*
All races, female 1999.....	0.3	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.3	*	*	*	*	*	*	*	*
White, male 1999.....	0.3	*	*	*	*	*	*	*	*
White, female 1999.....	0.4	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	*	*	*	*	*	*	*	*
All other, male 1999.....	0.1	*	*	*	*	*	*	*	*
All other, female 1999.....	0.1	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.2	*	*	*	*	*	*	*	*
Black, male 1999.....	0.1	*	*	*	*	*	*	*	*
Black, female 1999.....	0.2	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	1/ YEAR	2/ YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Diseases of liver (K70-K76)											
All races, both sexes 1999.....	12.3	2.3	0.2	*	*	0.2	0.3	0.6	2.3	6.1	
All races, male 1999.....	16.0	2.9	*	*	*	*	*	0.7	3.0	7.8	
All races, female 1999.....	8.8	1.6	*	*	*	*	0.3	0.5	1.7	4.4	
White, both sexes 1999.....	12.8	1.7	*	*	*	0.1	0.2	0.6	2.2	5.9	
White, male 1999.....	16.6	1.9	*	*	*	*	*	0.7	2.9	7.7	
White, female 1999.....	9.1	1.4	*	*	*	*	*	0.4	1.5	4.1	
All other, both sexes 1999.....	10.3	4.5	*	*	*	*	*	0.8	2.7	6.6	
All other, male 1999.....	13.2	6.7	*	*	*	*	*	*	3.2	8.0	
All other, female 1999.....	7.6	*	*	*	*	*	*	*	2.3	5.4	
Black, both sexes 1999.....	11.2	5.3	*	*	*	*	*	1.0	2.5	6.4	
Black, male 1999.....	14.6	7.6	*	*	*	*	*	*	2.8	7.8	
Black, female 1999.....	8.2	*	*	*	*	*	*	*	2.3	5.3	

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

All races, both sexes 1999.....	4.9	*	*	*	0.1	0.3	0.5	0.7	0.8	1.2
All races, male 1999.....	2.9	*	*	*	*	*	0.3	0.3	0.5	0.8
All races, female 1999.....	6.8	*	*	*	0.2	0.4	0.7	1.0	1.2	1.7
White, both sexes 1999.....	5.1	*	*	*	*	0.2	0.3	0.4	0.6	0.8
White, male 1999.....	2.9	*	*	*	*	*	*	*	0.5	0.5
White, female 1999.....	7.1	*	*	*	*	*	0.4	0.6	0.8	1.0
All other, both sexes 1999.....	4.1	*	*	*	*	0.7	1.3	1.6	1.8	3.4
All other, male 1999.....	2.5	*	*	*	*	*	*	*	*	2.0
All other, female 1999.....	5.5	*	*	*	*	1.2	1.9	2.6	2.7	4.7
Black, both sexes 1999.....	4.8	*	*	*	*	0.8	1.7	2.1	2.2	4.2
Black, male 1999.....	3.1	*	*	*	*	*	*	*	*	2.4
Black, female 1999.....	6.5	*	*	*	*	1.4	2.4	3.2	3.5	5.7

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Systemic lupus erythematosus (M32)										
All races, both sexes 1999.....	0.5	*	*	*	*	0.1	0.3	0.3	0.4	0.5
All races, male 1999.....	0.1	*	*	*	*	*	*	*	*	*
All races, female 1999.....	0.8	*	*	*	*	0.2	0.5	0.6	0.6	0.9
White, both sexes 1999.....	0.4	*	*	*	*	*	0.2	0.2	0.2	0.3
White, male 1999.....	0.1	*	*	*	*	*	*	*	*	*
White, female 1999.....	0.6	*	*	*	*	*	*	0.4	0.3	0.4
All other, both sexes 1999.....	1.0	*	*	*	*	*	1.0	0.9	1.1	1.7
All other, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
All other, female 1999.....	1.7	*	*	*	*	*	1.5	1.6	1.8	2.8
Black, both sexes 1999.....	1.2	*	*	*	*	*	1.2	1.1	1.3	2.0
Black, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
Black, female 1999.....	2.1	*	*	*	*	*	1.9	2.0	2.2	3.4

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

Osteoporosis (M80-M81)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

All races, both sexes 1999.....	0.4	*	*	*	*	*	*	*	*
All races, male 1999.....	0.4	*	*	*	*	*	*	*	*
All races, female 1999.....	0.5	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.5	*	*	*	*	*	*	*	*
White, male 1999.....	0.4	*	*	*	*	*	*	*	*
White, female 1999.....	0.5	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.4	*	*	*	*	*	*	*	*
All other, male 1999.....	0.4	*	*	*	*	*	*	*	*
All other, female 1999.....	0.5	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.5	*	*	*	*	*	*	*	*
Black, male 1999.....	0.4	*	*	*	*	*	*	*	*
Black, female 1999.....	0.6	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

All races, both sexes 1999.....	19.5	5.0	0.2	0.1	0.1	0.2	0.3	0.7	1.0	1.5
All races, male 1999.....	17.3	5.0	*	*	*	*	0.3	0.6	1.0	1.6
All races, female 1999.....	21.6	5.1	*	*	*	0.2	0.4	0.8	0.9	1.4
White, both sexes 1999.....	19.3	3.9	*	*	*	0.1	0.2	0.5	0.7	1.0
White, male 1999.....	17.0	4.5	*	*	*	*	*	0.5	0.7	1.1
White, female 1999.....	21.5	3.3	*	*	*	*	0.3	0.6	0.7	1.0
All other, both sexes 1999.....	20.5	9.3	*	*	*	*	0.7	1.5	2.1	3.6
All other, male 1999.....	18.9	7.0	*	*	*	*	*	1.3	2.1	4.0
All other, female 1999.....	21.9	11.8	*	*	*	*	*	1.8	2.0	3.2
Black, both sexes 1999.....	25.3	11.8	*	*	*	*	1.0	1.9	2.5	4.7
Black, male 1999.....	23.2	8.6	*	*	*	*	*	*	2.5	5.3
Black, female 1999.....	27.1	15.0	*	*	*	*	*	2.3	2.6	4.1

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Diseases of urinary system (N00-N39)										
All races, both sexes 1999.....	19.1	4.6	0.2	0.1	0.1	0.2	0.3	0.7	0.9	1.5
All races, male 1999.....	16.9	5.0	*	*	*	*	0.3	0.6	1.0	1.6
All races, female 1999.....	21.3	4.3	*	*	*	*	0.3	0.8	0.9	1.3
White, both sexes 1999.....	18.9	3.6	*	*	*	0.1	0.2	0.5	0.7	1.0
White, male 1999.....	16.5	4.5	*	*	*	*	*	0.5	0.7	1.1
White, female 1999.....	21.3	2.8	*	*	*	*	*	0.6	0.6	0.9
All other, both sexes 1999.....	20.1	8.5	*	*	*	*	0.7	1.5	2.0	3.5
All other, male 1999.....	18.5	7.0	*	*	*	*	*	1.3	2.1	4.0
All other, female 1999.....	21.6	10.0	*	*	*	*	*	1.6	1.8	3.0
Black, both sexes 1999.....	24.8	10.5	*	*	*	*	0.9	1.8	2.5	4.5
Black, male 1999.....	22.8	8.6	*	*	*	*	*	*	2.5	5.3
Black, female 1999.....	26.7	12.5	*	*	*	*	*	2.1	2.5	3.8

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Renal failure (N17-N19)										
All races, both sexes 1999.....	12.7	4.3	*	*	*	0.1	0.2	0.5	0.7	1.1
All races, male 1999.....	12.5	4.5	*	*	*	*	*	0.4	0.8	1.3
All races, female 1999.....	13.0	4.1	*	*	*	*	0.3	0.5	0.7	0.9
White, both sexes 1999.....	12.2	3.3	*	*	*	*	0.2	0.3	0.5	0.7
White, male 1999.....	12.1	3.8	*	*	*	*	*	*	0.5	0.8
White, female 1999.....	12.3	2.7	*	*	*	*	*	0.3	0.5	0.6
All other, both sexes 1999.....	15.2	8.1	*	*	*	*	*	1.1	1.8	2.8
All other, male 1999.....	14.4	7.0	*	*	*	*	*	*	1.9	3.3
All other, female 1999.....	16.0	9.2	*	*	*	*	*	1.3	1.6	2.4
Black, both sexes 1999.....	18.9	10.2	*	*	*	*	*	1.5	2.3	3.9
Black, male 1999.....	17.8	8.6	*	*	*	*	*	*	2.3	4.6
Black, female 1999.....	19.9	11.8	*	*	*	*	*	1.7	2.3	3.2

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All races, both sexes 1999.....	0.2	*	*	*	*	*	*	*	*
All races, male 1999.....	0.3	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.2	*	*	*	*	*	*	*	*
White, male 1999.....	0.4	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	*	*	*	*	*	*	*	*
All other, male 1999.....	0.2	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	*	*	*	*	*	*	*	*
Black, male 1999.....	0.2	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XV. Pregnancy, childbirth and the puerperium (000-099)

All races, both sexes 1999.....	0.1	*	0.2	0.4	0.5	0.5	0.4
All races, female 1999.....	0.3	*	0.3	0.7	1.0	0.9	0.8
White, both sexes 1999.....	0.1	*	*	0.2	0.3	0.3	0.3
White, female 1999.....	0.2	*	*	0.4	0.7	0.7	0.6
All other, both sexes 1999.....	0.4	*	*	0.9	1.1	1.0	0.8
All other, female 1999.....	0.7	*	*	1.8	2.2	1.9	1.6
Black, both sexes 1999.....	0.5	*	*	1.1	1.5	1.2	1.0
Black, female 1999.....	0.9	*	*	2.1	2.8	2.3	1.8

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Pregnancy with abortive outcome (000-007)

All races, both sexes 1999.....	0.0	*	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Ectopic pregnancy (000)

All races, both sexes 1999.....	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Spontaneous abortion (003)										
All races, both sexes 1999.....	*	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Medical abortion (004)

All races, both sexes 1999.....	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other and unspecified pregnancy with abortive outcome (001-002,006-007)

All races, both sexes 1999.....	*	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other direct obstetric deaths (010-092)

All races, both sexes 1999.....	0.1	*	0.1	0.2	0.4	0.4	0.3
All races, female 1999.....	0.2	*	0.3	0.5	0.7	0.7	0.6
White, both sexes 1999.....	0.1	*	*	0.2	0.2	0.3	0.2
White, female 1999.....	0.1	*	*	0.3	0.5	0.5	0.4
All other, both sexes 1999.....	0.3	*	*	0.6	0.9	0.8	0.6
All other, female 1999.....	0.6	*	*	1.1	1.7	1.4	1.2
Black, both sexes 1999.....	0.3	*	*	*	1.1	0.9	0.7
Black, female 1999.....	0.7	*	*	*	2.1	1.8	1.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Eclampsia and pre-eclampsia (011,013-016)

All races, both sexes 1999.....	0.0	*	*	*	0.1	*	*
All races, female 1999.....	0.1	*	*	*	0.2	*	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	*	*	*	*	*	*
All other, female 1999.....	0.2	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	*	*	*	*	*	*
Black, female 1999.....	0.2	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)

All races, both sexes 1999.....	0.0	*	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Complications predominantly related to the puerperium (085-092)

All races, both sexes 1999.....	0.0	*	*	*	*	0.1	*
All races, female 1999.....	0.1	*	*	*	*	0.2	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	*	*	*	*	*	*
All other, female 1999.....	0.1	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	*	*	*	*	*	*
Black, female 1999.....	0.2	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Obstetric embolism (088)										
All races, both sexes 1999.....	0.0	*	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	0.0	*	*	*	*	*	*
All other, female 1999.....	0.1	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other complications predominately related to the puerperium (085-087,089-092)

All races, both sexes 1999.....	0.0	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

All races, both sexes 1999.....	0.0	*	*	*	0.1	*	*
All races, female 1999.....	0.1	*	*	*	0.2	*	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	*	*	*	*	*	*
All other, female 1999.....	0.2	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	*	*	*	*	*	*
Black, female 1999.....	0.2	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Obstetric death of unspecified cause (095)

All races, both sexes 1999.....	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other deaths related to pregnancy, childbirth and the puerperium (096-097)

All races, both sexes 1999.....	*	*	*	*	*	*
All races, female 1999.....	*	*	*	*	*	*
White, both sexes 1999.....	*	*	*	*	*	*
White, female 1999.....	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Indirect obstetric deaths (098-099)

All races, both sexes 1999.....	0.0	*	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*	*
White, both sexes 1999.....	0.0	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*
All other, both sexes 1999.....	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

XVI. Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes 1999.....	5.2	368.7	0.6	0.1	*	*	*	*	*	*
All races, male 1999.....	6.0	406.8	0.7	*	*	*	*	*	*	*
All races, female 1999.....	4.5	328.9	0.5	*	*	*	*	*	*	*
White, both sexes 1999.....	3.9	281.5	0.5	*	*	*	*	*	*	*
White, male 1999.....	4.4	310.8	0.5	*	*	*	*	*	*	*
White, female 1999.....	3.3	250.8	0.4	*	*	*	*	*	*	*
All other, both sexes 1999.....	11.7	701.6	1.2	*	*	*	*	*	*	*
All other, male 1999.....	13.8	776.2	1.7	*	*	*	*	*	*	*
All other, female 1999.....	9.7	624.6	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	14.8	899.0	1.3	*	*	*	*	*	*	*
Black, male 1999.....	17.6	997.3	*	*	*	*	*	*	*	*
Black, female 1999.....	12.3	797.3	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)

All races, both sexes 1999.....	1.0	71.7	*	*	*	*	*	*	*
All races, male 1999.....	1.1	76.3	*	*	*	*	*	*	*
All races, female 1999.....	0.9	66.8	*	*	*	*	*	*	*
White, both sexes 1999.....	0.8	55.6	*	*	*	*	*	*	*
White, male 1999.....	0.8	58.8	*	*	*	*	*	*	*
White, female 1999.....	0.7	52.3	*	*	*	*	*	*	*
All other, both sexes 1999.....	2.2	133.0	*	*	*	*	*	*	*
All other, male 1999.....	2.5	143.8	*	*	*	*	*	*	*
All other, female 1999.....	1.9	121.8	*	*	*	*	*	*	*
Black, both sexes 1999.....	2.8	169.5	*	*	*	*	*	*	*
Black, male 1999.....	3.2	185.1	*	*	*	*	*	*	*
Black, female 1999.....	2.3	153.4	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Disorders related to short gestation and low birth weight, not elsewhere classified (P07)

All races, both sexes 1999.....	1.6	115.0	*	*	*	*	*	*	*
All races, male 1999.....	1.8	125.8	*	*	*	*	*	*	*
All races, female 1999.....	1.4	103.7	*	*	*	*	*	*	*
White, both sexes 1999.....	1.1	78.2	*	*	*	*	*	*	*
White, male 1999.....	1.2	85.0	*	*	*	*	*	*	*
White, female 1999.....	0.9	71.0	*	*	*	*	*	*	*
All other, both sexes 1999.....	4.2	255.6	*	*	*	*	*	*	*
All other, male 1999.....	5.0	282.6	*	*	*	*	*	*	*
All other, female 1999.....	3.5	227.7	*	*	*	*	*	*	*
Black, both sexes 1999.....	5.5	333.7	*	*	*	*	*	*	*
Black, male 1999.....	6.5	369.5	*	*	*	*	*	*	*
Black, female 1999.....	4.5	296.8	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intrauterine hypoxia and birth asphyxia (P20-P21)

All races, both sexes 1999.....	0.2	16.0	0.1	*	*	*	*	*	*
All races, male 1999.....	0.3	17.2	*	*	*	*	*	*	*
All races, female 1999.....	0.2	14.9	*	*	*	*	*	*	*
White, both sexes 1999.....	0.2	14.2	*	*	*	*	*	*	*
White, male 1999.....	0.2	14.8	*	*	*	*	*	*	*
White, female 1999.....	0.2	13.5	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.4	23.2	*	*	*	*	*	*	*
All other, male 1999.....	0.5	26.3	*	*	*	*	*	*	*
All other, female 1999.....	0.3	20.0	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.5	27.6	*	*	*	*	*	*	*
Black, male 1999.....	0.6	31.1	*	*	*	*	*	*	*
Black, female 1999.....	0.4	24.0	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Respiratory distress of newborn (P22)										
All races, both sexes 1999.....	0.4	29.1	*	*	*	*	*	*	*	*
All races, male 1999.....	0.5	33.6	*	*	*	*	*	*	*	*
All races, female 1999.....	0.3	24.4	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.3	23.3	*	*	*	*	*	*	*	*
White, male 1999.....	0.4	26.1	*	*	*	*	*	*	*	*
White, female 1999.....	0.3	20.2	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.8	51.2	*	*	*	*	*	*	*	*
All other, male 1999.....	1.1	62.1	*	*	*	*	*	*	*	*
All other, female 1999.....	0.6	40.0	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	1.1	65.9	*	*	*	*	*	*	*	*
Black, male 1999.....	1.4	80.6	*	*	*	*	*	*	*	*
Black, female 1999.....	0.8	50.8	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other respiratory conditions originating in the perinatal period (P23-P28)

All races, both sexes 1999.....	0.6	45.0	0.3	*	*	*	*	*	*
All races, male 1999.....	0.8	51.2	0.3	*	*	*	*	*	*
All races, female 1999.....	0.5	38.4	*	*	*	*	*	*	*
White, both sexes 1999.....	0.5	38.0	*	*	*	*	*	*	*
White, male 1999.....	0.6	44.5	*	*	*	*	*	*	*
White, female 1999.....	0.4	31.3	*	*	*	*	*	*	*
All other, both sexes 1999.....	1.2	71.5	0.7	*	*	*	*	*	*
All other, male 1999.....	1.4	77.2	*	*	*	*	*	*	*
All other, female 1999.....	1.0	65.6	*	*	*	*	*	*	*
Black, both sexes 1999.....	1.6	92.8	*	*	*	*	*	*	*
Black, male 1999.....	1.8	100.3	*	*	*	*	*	*	*
Black, female 1999.....	1.3	85.1	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Infections specific to the perinatal period (P35-P39)

All races, both sexes 1999.....	0.3	22.8	*	*	*	*	*	*	*
All races, male 1999.....	0.4	25.4	*	*	*	*	*	*	*
All races, female 1999.....	0.3	20.1	*	*	*	*	*	*	*
White, both sexes 1999.....	0.2	17.7	*	*	*	*	*	*	*
White, male 1999.....	0.3	19.1	*	*	*	*	*	*	*
White, female 1999.....	0.2	16.3	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.7	42.1	*	*	*	*	*	*	*
All other, male 1999.....	0.9	49.4	*	*	*	*	*	*	*
All other, female 1999.....	0.5	34.6	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.9	54.2	*	*	*	*	*	*	*
Black, male 1999.....	1.1	64.3	*	*	*	*	*	*	*
Black, female 1999.....	0.7	43.6	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)

All races, both sexes 1999.....	1.0	68.6	*	*	*	*	*	*	*
All races, male 1999.....	1.1	76.7	*	*	*	*	*	*	*
All races, female 1999.....	0.8	60.2	*	*	*	*	*	*	*
White, both sexes 1999.....	0.7	54.2	*	*	*	*	*	*	*
White, male 1999.....	0.9	61.9	*	*	*	*	*	*	*
White, female 1999.....	0.6	46.1	*	*	*	*	*	*	*
All other, both sexes 1999.....	2.0	123.9	*	*	*	*	*	*	*
All other, male 1999.....	2.3	133.6	*	*	*	*	*	*	*
All other, female 1999.....	1.8	113.9	*	*	*	*	*	*	*
Black, both sexes 1999.....	2.5	154.4	*	*	*	*	*	*	*
Black, male 1999.....	2.9	165.4	*	*	*	*	*	*	*
Black, female 1999.....	2.2	143.0	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes 1999.....	3.8	143.3	3.6	1.0	1.1	1.1	1.2	1.2	1.3	1.2
All races, male 1999.....	4.0	147.3	4.0	1.0	1.1	1.4	1.3	1.2	1.4	1.4
All races, female 1999.....	3.6	139.1	3.2	1.1	1.1	0.9	1.0	1.1	1.2	1.1
White, both sexes 1999.....	3.7	139.1	3.2	0.9	1.0	1.1	1.1	1.2	1.3	1.3
White, male 1999.....	3.9	144.6	3.5	0.9	1.0	1.4	1.3	1.3	1.4	1.4
White, female 1999.....	3.5	133.4	2.8	1.0	1.0	0.8	1.0	1.2	1.2	1.1
All other, both sexes 1999.....	4.4	159.2	5.3	1.5	1.5	1.3	1.4	0.9	1.2	1.2
All other, male 1999.....	4.7	157.7	5.8	1.5	1.6	1.4	1.5	*	1.3	1.3
All other, female 1999.....	4.1	160.8	4.7	1.4	1.5	1.1	1.2	*	1.1	1.1
Black, both sexes 1999.....	4.9	180.2	6.2	1.6	1.8	1.4	1.5	1.1	1.2	1.4
Black, male 1999.....	5.4	183.7	7.0	1.6	1.8	1.7	1.8	*	*	*
Black, female 1999.....	4.5	176.6	5.4	1.6	1.8	*	*	*	*	1.5

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Anencephaly and similar malformations (Q00)										
All races, both sexes 1999.....	0.1	8.1	*	*	*	*	*	*	*	*
All races, male 1999.....	0.1	6.3	*	*	*	*	*	*	*	*
All races, female 1999.....	0.1	10.1	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.1	8.4	*	*	*	*	*	*	*	*
White, male 1999.....	0.1	6.4	*	*	*	*	*	*	*	*
White, female 1999.....	0.1	10.4	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.1	7.3	*	*	*	*	*	*	*	*
All other, male 1999.....	0.1	6.0	*	*	*	*	*	*	*	*
All other, female 1999.....	0.1	8.7	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	6.9	*	*	*	*	*	*	*	*
Black, male 1999.....	*	*	*	*	*	*	*	*	*	*
Black, female 1999.....	0.1	8.6	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Congenital malformations of heart (Q20-Q24)										
All races, both sexes 1999.....	1.3	41.8	1.3	0.3	0.5	0.6	0.6	0.6	0.7	0.6
All races, male 1999.....	1.4	45.5	1.5	0.3	0.6	0.8	0.7	0.7	0.7	0.7
All races, female 1999.....	1.2	38.0	1.1	0.3	0.4	0.4	0.4	0.6	0.6	0.5
White, both sexes 1999.....	1.3	41.4	1.1	0.3	0.4	0.6	0.5	0.6	0.7	0.6
White, male 1999.....	1.4	45.6	1.3	0.3	0.6	0.8	0.6	0.7	0.8	0.7
White, female 1999.....	1.2	36.9	1.0	0.3	0.3	0.4	0.4	0.6	0.7	0.5
All other, both sexes 1999.....	1.4	43.6	2.1	*	0.7	0.7	0.7	0.5	*	0.6
All other, male 1999.....	1.6	45.4	2.4	*	*	*	*	*	*	*
All other, female 1999.....	1.3	41.8	1.8	*	*	*	*	*	*	*
Black, both sexes 1999.....	1.7	51.0	2.5	*	0.8	0.8	0.9	*	*	0.8
Black, male 1999.....	1.9	53.3	2.7	*	*	*	*	*	*	*
Black, female 1999.....	1.5	48.6	2.2	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Congenital malformations of respiratory system (Q30-Q34)

All races, both sexes 1999.....	0.2	14.8	*	*	*	*	*	*	*
All races, male 1999.....	0.3	17.0	*	*	*	*	*	*	*
All races, female 1999.....	0.2	12.4	*	*	*	*	*	*	*
White, both sexes 1999.....	0.2	13.9	*	*	*	*	*	*	*
White, male 1999.....	0.2	15.6	*	*	*	*	*	*	*
White, female 1999.....	0.2	12.0	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.3	18.2	*	*	*	*	*	*	*
All other, male 1999.....	0.4	22.3	*	*	*	*	*	*	*
All other, female 1999.....	0.2	13.8	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.4	21.3	*	*	*	*	*	*	*
Black, male 1999.....	0.5	27.3	*	*	*	*	*	*	*
Black, female 1999.....	0.2	15.0	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)										
All races, both sexes 1999.....	0.9	38.0	0.9	0.2	0.1	0.2	0.2	0.2	0.2	0.2
All races, male 1999.....	1.1	42.3	1.1	0.2	*	*	0.3	*	0.2	0.2
All races, female 1999.....	0.8	33.5	0.8	*	*	*	*	*	*	0.2
White, both sexes 1999.....	0.9	36.2	0.9	0.2	0.1	0.2	0.2	0.2	0.2	0.2
White, male 1999.....	1.0	41.6	1.0	*	*	*	0.3	*	*	0.2
White, female 1999.....	0.8	30.7	0.7	*	*	*	*	*	*	0.2
All other, both sexes 1999.....	1.1	44.8	1.2	*	*	*	*	*	*	*
All other, male 1999.....	1.2	45.2	1.5	*	*	*	*	*	*	*
All other, female 1999.....	0.9	44.4	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	1.2	49.2	1.5	*	*	*	*	*	*	*
Black, male 1999.....	1.4	52.9	1.8	*	*	*	*	*	*	*
Black, female 1999.....	1.0	45.4	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

All races, both sexes 1999.....	0.4	22.4	0.3	*	*	*	*	*	*
All races, male 1999.....	0.3	18.6	*	*	*	*	*	*	*
All races, female 1999.....	0.4	26.3	0.3	*	*	*	*	*	*
White, both sexes 1999.....	0.3	22.4	0.2	*	*	*	*	*	*
White, male 1999.....	0.3	18.9	*	*	*	*	*	*	*
White, female 1999.....	0.4	26.0	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.4	22.5	*	*	*	*	*	*	*
All other, male 1999.....	0.4	17.6	*	*	*	*	*	*	*
All other, female 1999.....	0.5	27.4	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.5	25.7	*	*	*	*	*	*	*
Black, male 1999.....	0.4	21.1	*	*	*	*	*	*	*
Black, female 1999.....	0.6	30.4	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes 1999.....	9.8	92.6	1.6	0.3	0.4	1.2	2.1	2.4	3.3	4.2
All races, male 1999.....	9.7	106.1	1.8	0.3	0.4	1.5	2.9	3.2	4.4	5.3
All races, female 1999.....	9.9	78.5	1.4	0.3	0.3	0.8	1.3	1.7	2.2	3.0
White, both sexes 1999.....	9.6	73.6	1.3	0.3	0.3	1.0	1.9	2.2	3.1	3.8
White, male 1999.....	9.1	85.3	1.6	0.3	0.4	1.4	2.7	2.9	4.0	5.0
White, female 1999.....	10.1	61.3	1.1	0.3	*	0.7	1.0	1.4	2.1	2.6
All other, both sexes 1999.....	10.6	165.4	2.5	*	0.6	1.6	3.0	3.6	4.3	6.0
All other, male 1999.....	12.1	186.5	2.5	*	*	2.1	3.9	4.3	6.5	7.1
All other, female 1999.....	9.1	143.6	2.4	*	*	1.1	2.2	3.0	2.3	4.9
Black, both sexes 1999.....	13.2	205.2	3.1	*	*	1.8	3.7	4.4	5.6	8.0
Black, male 1999.....	15.2	231.4	3.1	*	*	2.5	4.7	5.4	8.7	9.6
Black, female 1999.....	11.3	178.1	3.0	*	*	*	2.7	3.6	2.9	6.5

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

All races, both sexes 1999.....	6.1	90.7	1.3	0.2	0.3	0.9	1.7	1.8	2.7	3.3
All races, male 1999.....	6.8	103.8	1.4	0.2	0.3	1.2	2.5	2.4	3.7	4.3
All races, female 1999.....	5.3	77.0	1.1	0.3	0.2	0.6	0.9	1.3	1.7	2.4
White, both sexes 1999.....	5.7	72.0	1.0	0.2	0.2	0.8	1.6	1.7	2.5	3.1
White, male 1999.....	6.3	83.4	1.3	*	0.3	1.1	2.4	2.2	3.5	4.0
White, female 1999.....	5.2	60.1	0.8	0.3	*	0.5	0.8	1.1	1.6	2.2
All other, both sexes 1999.....	7.7	162.2	2.1	*	*	1.2	2.3	2.5	3.3	4.5
All other, male 1999.....	9.4	182.5	2.1	*	*	1.4	3.0	3.2	4.9	5.5
All other, female 1999.....	6.1	141.3	2.2	*	*	*	1.5	1.9	1.8	3.5
Black, both sexes 1999.....	9.4	201.3	2.6	*	*	1.3	2.7	2.9	4.2	5.9
Black, male 1999.....	11.7	226.2	2.6	*	*	1.7	3.6	3.8	6.4	7.4
Black, female 1999.....	7.4	175.5	2.6	*	*	*	1.9	2.1	2.2	4.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Sudden infant death syndrome (R95)										
All races, both sexes 1999.....	1.0	69.3	*	*	*	*	*	*	*	*
All races, male 1999.....	1.2	79.6	*	*	*	*	*	*	*	*
All races, female 1999.....	0.8	58.6	*	*	*	*	*	*	*	*
White, both sexes 1999.....	0.8	56.5	*	*	*	*	*	*	*	*
White, male 1999.....	0.9	65.4	*	*	*	*	*	*	*	*
White, female 1999.....	0.6	47.2	*	*	*	*	*	*	*	*
All other, both sexes 1999.....	1.9	118.2	*	*	*	*	*	*	*	*
All other, male 1999.....	2.4	134.1	*	*	*	*	*	*	*	*
All other, female 1999.....	1.6	101.8	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	2.4	147.5	*	*	*	*	*	*	*	*
Black, male 1999.....	2.9	165.0	*	*	*	*	*	*	*	*
Black, female 1999.....	2.0	129.4	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

All races, both sexes 1999.....	5.1	21.4	1.3	0.2	0.3	0.9	1.7	1.8	2.7	3.3
All races, male 1999.....	5.7	24.3	1.4	0.2	0.3	1.2	2.5	2.4	3.7	4.3
All races, female 1999.....	4.6	18.4	1.1	0.3	0.2	0.6	0.9	1.3	1.7	2.4
White, both sexes 1999.....	5.0	15.5	1.0	0.2	0.2	0.8	1.6	1.7	2.5	3.1
White, male 1999.....	5.4	18.0	1.3	*	0.3	1.1	2.4	2.2	3.5	4.0
White, female 1999.....	4.6	12.9	0.8	0.3	*	0.5	0.8	1.1	1.6	2.2
All other, both sexes 1999.....	5.7	44.0	2.1	*	*	1.2	2.3	2.5	3.3	4.5
All other, male 1999.....	7.1	48.4	2.1	*	*	1.4	3.0	3.2	4.9	5.5
All other, female 1999.....	4.5	39.5	2.2	*	*	*	1.5	1.9	1.8	3.5
Black, both sexes 1999.....	7.0	53.8	2.6	*	*	1.3	2.7	2.9	4.2	5.9
Black, male 1999.....	8.8	61.2	2.6	*	*	1.7	3.6	3.8	6.4	7.4
Black, female 1999.....	5.5	46.1	2.6	*	*	*	1.9	2.1	2.2	4.6

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

All races, both sexes 1999.....	2.6	1.9	0.3	*	*	0.3	0.4	0.6	0.6	0.8
All races, male 1999.....	2.2	2.3	0.3	*	*	0.3	0.4	0.7	0.7	1.1
All races, female 1999.....	2.9	1.4	*	*	*	*	0.4	0.5	0.5	0.6
White, both sexes 1999.....	2.6	1.6	0.3	*	*	0.2	0.3	0.5	0.5	0.7
White, male 1999.....	2.1	1.9	*	*	*	0.3	0.3	0.6	0.5	0.9
White, female 1999.....	3.0	*	*	*	*	*	*	0.3	0.5	0.4
All other, both sexes 1999.....	2.4	3.2	*	*	*	*	0.8	1.1	1.0	1.5
All other, male 1999.....	2.4	*	*	*	*	*	*	1.1	1.6	1.6
All other, female 1999.....	2.5	*	*	*	*	*	*	1.1	*	1.4
Black, both sexes 1999.....	3.1	3.9	*	*	*	*	1.0	1.5	1.4	2.0
Black, male 1999.....	3.1	*	*	*	*	*	*	*	2.2	2.2
Black, female 1999.....	3.1	*	*	*	*	*	*	1.5	*	1.9

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

XX. External causes of mortality (V01-Y89)

All races, both sexes 1999.....	55.3	33.6	15.5	8.3	11.1	53.5	69.1	60.4	56.2	58.2
All races, male 1999.....	77.9	38.1	17.5	9.8	14.5	77.3	109.6	96.6	87.1	87.0
All races, female 1999.....	33.6	28.9	13.4	6.8	7.4	28.3	26.9	24.7	25.9	29.8
White, both sexes 1999.....	54.5	27.5	13.5	7.2	10.7	51.1	62.5	55.6	53.6	56.7
White, male 1999.....	75.4	32.1	15.3	8.3	14.0	71.6	97.3	87.4	81.9	83.8
White, female 1999.....	34.3	22.7	11.6	6.0	7.3	29.2	25.8	23.4	25.2	29.3
All other, both sexes 1999.....	58.6	56.9	23.2	12.5	12.3	62.6	94.8	79.5	67.2	65.3
All other, male 1999.....	89.5	61.1	26.1	15.2	16.6	99.3	159.7	134.1	110.5	102.3
All other, female 1999.....	30.4	52.6	20.2	9.8	7.8	24.7	31.1	29.7	28.7	32.0
Black, both sexes 1999.....	67.6	71.2	27.8	14.8	13.9	69.6	109.6	94.8	79.4	76.3
Black, male 1999.....	105.4	75.4	31.0	18.5	18.9	112.1	189.0	163.5	132.7	121.1
Black, female 1999.....	33.4	66.9	24.4	11.0	8.7	25.6	32.0	31.9	32.1	36.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes 1999.....	35.9	22.1	12.6	7.3	8.3	33.9	38.7	32.3	30.5	32.7
All races, male 1999.....	47.7	25.3	14.6	8.8	10.8	45.6	59.0	50.3	46.5	48.2
All races, female 1999.....	24.6	18.8	10.4	5.8	5.8	21.5	17.6	14.5	14.7	17.3
White, both sexes 1999.....	36.6	18.6	11.4	6.4	8.2	36.1	39.8	33.0	30.6	32.7
White, male 1999.....	47.9	21.5	13.2	7.6	10.4	47.9	60.6	51.3	46.4	48.1
White, female 1999.....	25.7	15.5	9.6	5.2	5.8	23.6	17.9	14.5	14.7	17.1
All other, both sexes 1999.....	32.5	35.7	16.9	10.6	9.0	25.4	34.2	29.5	29.9	32.5
All other, male 1999.....	46.4	40.0	20.1	13.2	12.0	36.6	52.5	46.1	47.1	48.8
All other, female 1999.....	19.8	31.3	13.6	7.8	5.8	13.8	16.2	14.3	14.8	17.9
Black, both sexes 1999.....	36.5	44.3	19.8	12.6	10.1	25.4	35.0	32.7	34.0	37.3
Black, male 1999.....	53.0	48.8	23.5	16.2	13.6	37.1	54.5	52.7	53.9	56.3
Black, female 1999.....	21.6	39.7	15.9	8.9	6.4	13.4	16.0	14.5	16.4	20.3

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Transport accidents (V01-V99,Y85)

All races, both sexes 1999.....	17.0	4.9	4.7	4.5	5.5	27.6	29.1	21.5	17.8	17.2
All races, male 1999.....	23.7	5.2	5.2	5.2	6.7	35.4	43.2	32.6	26.2	24.4
All races, female 1999.....	10.6	4.7	4.2	3.7	4.2	19.4	14.4	10.6	9.6	10.0
White, both sexes 1999.....	17.3	4.5	4.1	4.2	5.7	29.8	29.9	21.9	17.9	17.0
White, male 1999.....	23.9	5.2	4.4	4.8	6.9	37.8	44.3	32.9	26.0	24.0
White, female 1999.....	10.8	3.9	3.8	3.6	4.4	21.3	14.6	10.7	9.8	9.9
All other, both sexes 1999.....	15.9	6.6	6.9	5.5	4.8	19.3	25.8	20.3	17.3	18.0
All other, male 1999.....	22.9	5.2	8.1	6.6	6.0	26.2	38.4	31.2	27.0	26.6
All other, female 1999.....	9.5	7.9	5.7	4.4	3.5	12.1	13.5	10.3	8.6	10.3
Black, both sexes 1999.....	16.9	7.7	7.9	6.4	5.2	19.1	26.1	22.1	19.1	20.2
Black, male 1999.....	25.1	*	8.9	7.9	6.7	26.2	39.1	35.5	30.6	30.2
Black, female 1999.....	9.5	9.3	6.9	4.8	3.8	11.7	13.4	9.9	8.9	11.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)										
All races, both sexes 1999.....	15.5	4.8	4.3	4.0	5.0	26.3	27.4	19.8	16.1	15.3
All races, male 1999.....	21.4	5.0	4.7	4.6	5.9	33.6	40.5	29.7	23.6	21.6
All races, female 1999.....	9.9	4.7	3.8	3.4	3.9	18.6	13.7	10.0	8.7	9.1
White, both sexes 1999.....	15.7	4.4	3.8	3.8	5.1	28.4	28.1	20.0	16.1	15.1
White, male 1999.....	21.5	5.0	4.1	4.3	6.1	35.9	41.5	29.8	23.3	21.1
White, female 1999.....	10.1	3.8	3.4	3.2	4.1	20.5	13.9	10.0	8.9	9.0
All other, both sexes 1999.....	14.7	6.4	6.3	5.0	4.4	18.2	24.5	19.1	15.8	16.6
All other, male 1999.....	20.9	5.0	7.2	5.8	5.4	24.6	36.2	29.2	24.6	24.2
All other, female 1999.....	9.0	7.9	5.4	4.1	3.4	11.6	13.0	9.9	8.0	9.7
Black, both sexes 1999.....	15.7	7.6	7.2	5.8	4.9	18.2	25.1	20.9	17.6	18.5
Black, male 1999.....	23.1	*	7.9	6.9	6.0	24.8	37.6	33.5	28.1	27.4
Black, female 1999.....	9.0	9.3	6.5	4.7	3.7	11.3	12.9	9.5	8.3	10.7

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)										
All races, both sexes 1999.....	1.2	*	1.1	0.8	0.6	0.8	1.1	1.1	1.0	1.3
All races, male 1999.....	1.8	*	1.2	0.9	0.7	1.2	1.7	1.6	1.6	2.0
All races, female 1999.....	0.8	*	1.0	0.7	0.4	0.5	0.5	0.5	0.5	0.6
White, both sexes 1999.....	1.1	*	1.0	0.6	0.6	0.9	1.1	0.9	0.9	1.1
White, male 1999.....	1.6	*	1.1	0.7	0.7	1.2	1.6	1.4	1.4	1.6
White, female 1999.....	0.7	*	1.0	0.5	0.4	0.5	0.5	0.4	0.4	0.5
All other, both sexes 1999.....	1.8	*	1.6	1.5	0.6	0.8	1.2	1.6	1.4	2.2
All other, male 1999.....	2.7	*	2.0	1.7	*	1.1	1.9	2.4	2.5	3.6
All other, female 1999.....	1.0	*	*	1.3	*	*	*	*	*	1.0
Black, both sexes 1999.....	1.9	*	1.8	1.7	0.7	0.8	1.1	1.7	1.6	2.4
Black, male 1999.....	2.9	*	2.2	2.0	*	*	1.8	2.6	2.8	4.0
Black, female 1999.....	1.0	*	*	1.5	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)

All races, both sexes 1999.....	1.4	*	0.1	0.1	0.3	3.4	3.4	2.1	1.7	1.4
All races, male 1999.....	2.1	*	*	*	0.4	4.5	5.5	3.5	2.7	2.1
All races, female 1999.....	0.7	*	*	*	0.2	2.2	1.3	0.8	0.7	0.7
White, both sexes 1999.....	1.4	*	*	0.1	0.3	3.6	3.4	2.1	1.7	1.4
White, male 1999.....	2.1	*	*	*	0.4	4.7	5.4	3.4	2.6	2.1
White, female 1999.....	0.7	*	*	*	*	2.4	1.2	0.8	0.8	0.7
All other, both sexes 1999.....	1.5	*	*	*	*	2.6	3.7	2.2	1.8	1.6
All other, male 1999.....	2.3	*	*	*	*	3.6	5.8	3.8	3.0	2.4
All other, female 1999.....	0.8	*	*	*	*	1.6	1.7	*	*	*
Black, both sexes 1999.....	1.7	*	*	*	*	2.9	4.1	2.6	2.1	1.9
Black, male 1999.....	2.7	*	*	*	*	4.1	6.4	4.5	3.7	2.7
Black, female 1999.....	0.9	*	*	*	*	1.6	1.9	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

All races, both sexes 1999.....	3.8	1.5	0.9	0.9	1.1	6.1	5.8	4.3	3.6	3.0
All races, male 1999.....	4.6	1.7	1.0	0.9	1.0	7.2	7.7	5.7	4.9	3.5
All races, female 1999.....	3.0	1.4	0.7	0.9	1.1	4.9	3.9	2.9	2.4	2.5
White, both sexes 1999.....	3.9	1.5	0.8	0.9	1.1	6.7	6.0	4.4	3.7	2.9
White, male 1999.....	4.6	1.8	0.9	0.9	1.0	7.7	8.0	5.8	4.9	3.3
White, female 1999.....	3.1	*	0.7	0.9	1.2	5.5	4.0	2.9	2.5	2.5
All other, both sexes 1999.....	3.2	*	1.1	0.9	0.9	3.9	5.1	4.0	3.5	3.6
All other, male 1999.....	4.2	*	1.3	0.9	1.1	5.0	6.8	5.0	4.8	4.9
All other, female 1999.....	2.3	*	*	*	*	2.7	3.3	3.0	2.3	2.4
Black, both sexes 1999.....	3.5	*	1.2	1.0	1.1	3.7	5.2	4.4	4.2	4.3
Black, male 1999.....	4.7	*	*	*	*	5.0	6.9	5.8	5.7	5.8
Black, female 1999.....	2.4	*	*	*	*	2.3	3.4	3.0	2.8	2.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

All races, both sexes 1999.....	1.4	*	0.3	0.3	0.3	3.1	3.2	2.1	1.6	1.6
All races, male 1999.....	1.9	*	0.3	0.3	0.3	3.9	4.8	3.3	2.3	2.2
All races, female 1999.....	0.8	*	0.3	0.3	0.3	2.2	1.6	1.0	0.9	0.9
White, both sexes 1999.....	1.4	*	0.3	0.3	0.3	3.4	3.3	2.2	1.6	1.5
White, male 1999.....	2.0	*	*	0.3	0.4	4.3	5.0	3.3	2.3	2.2
White, female 1999.....	0.8	*	*	0.3	0.3	2.4	1.6	1.0	0.9	0.9
All other, both sexes 1999.....	1.3	*	*	*	*	2.0	2.7	1.8	1.4	1.7
All other, male 1999.....	1.8	*	*	*	*	2.6	3.8	2.9	2.0	2.2
All other, female 1999.....	0.9	*	*	*	*	1.3	1.7	*	*	1.3
Black, both sexes 1999.....	1.2	*	*	*	*	1.7	2.2	1.7	1.4	1.7
Black, male 1999.....	1.7	*	*	*	*	2.3	2.9	2.9	2.1	2.4
Black, female 1999.....	0.7	*	*	*	*	*	1.5	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)										
All races, both sexes 1999.....	6.2	2.3	1.7	1.3	1.7	11.3	10.8	7.6	6.0	6.1
All races, male 1999.....	8.1	2.1	1.8	1.5	1.9	14.0	15.5	10.8	8.1	8.1
All races, female 1999.....	4.3	2.5	1.5	1.2	1.5	8.3	6.0	4.3	3.9	4.1
White, both sexes 1999.....	6.3	2.2	1.4	1.3	1.7	12.2	11.2	7.8	6.0	6.1
White, male 1999.....	8.2	2.2	1.4	1.4	1.9	15.0	16.0	11.2	8.0	8.2
White, female 1999.....	4.4	2.2	1.4	1.2	1.5	9.1	6.1	4.4	4.0	4.1
All other, both sexes 1999.....	5.6	2.6	2.6	1.6	1.8	7.8	9.3	6.6	5.9	5.9
All other, male 1999.....	7.6	*	3.2	1.9	1.9	10.1	13.5	9.2	8.8	7.9
All other, female 1999.....	3.8	*	2.0	1.3	1.6	5.4	5.3	4.3	3.4	4.0
Black, both sexes 1999.....	6.0	*	2.9	1.9	1.7	8.1	9.5	7.2	6.2	6.5
Black, male 1999.....	8.5	*	3.5	2.3	2.0	10.6	14.1	10.6	9.4	8.8
Black, female 1999.....	3.9	*	2.4	1.6	1.4	5.5	5.0	4.0	3.3	4.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Accidental drowning and submersion (W65-W74)										
All races, both sexes 1999.....	1.3	1.8	3.2	1.0	0.9	1.8	1.6	1.2	1.2	1.1
All races, male 1999.....	2.1	2.0	4.0	1.4	1.4	3.3	2.9	2.1	2.1	1.9
All races, female 1999.....	0.5	1.6	2.4	0.5	0.4	0.3	0.3	*	0.3	0.3
White, both sexes 1999.....	1.2	1.5	3.5	0.7	0.5	1.6	1.5	1.0	1.1	1.1
White, male 1999.....	1.9	1.7	4.3	0.9	0.8	2.8	2.6	1.9	2.0	1.8
White, female 1999.....	0.5	1.4	2.6	0.5	*	0.3	0.3	*	0.3	0.4
All other, both sexes 1999.....	1.7	2.8	2.4	2.0	2.3	2.7	2.0	1.6	1.4	1.1
All other, male 1999.....	2.9	*	3.0	3.1	3.5	5.0	3.8	3.3	2.6	2.2
All other, female 1999.....	0.6	*	1.7	*	1.1	*	*	*	*	*
Black, both sexes 1999.....	1.8	3.7	2.7	2.4	2.7	2.8	2.0	1.8	1.5	1.1
Black, male 1999.....	3.2	*	3.5	3.8	4.1	5.0	3.8	3.6	2.8	2.2
Black, female 1999.....	0.6	*	1.8	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

All races, both sexes 1999.....	0.6	10.7	0.5	0.2	0.3	0.2	0.3	0.3	0.2	0.3
All races, male 1999.....	0.8	12.5	0.5	0.2	0.5	0.4	0.5	0.5	0.4	0.5
All races, female 1999.....	0.4	8.8	0.5	*	*	*	*	*	*	*
White, both sexes 1999.....	0.6	8.5	0.5	0.2	0.3	0.3	0.3	0.3	0.3	0.3
White, male 1999.....	0.8	9.6	0.5	0.2	0.6	0.5	0.5	0.6	0.5	0.6
White, female 1999.....	0.4	7.4	0.5	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.6	19.0	*	*	*	*	*	*	*	*
All other, male 1999.....	0.8	23.6	*	*	*	*	*	*	*	*
All other, female 1999.....	0.4	14.4	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.7	23.7	*	*	*	*	*	*	*	*
Black, male 1999.....	1.0	28.7	*	*	*	*	*	*	*	*
Black, female 1999.....	0.5	18.6	*	*	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)										
All races, both sexes 1999.....	1.2	1.1	2.0	0.9	0.5	0.4	0.6	0.8	0.7	0.9
All races, male 1999.....	1.5	1.1	2.2	0.9	0.5	0.6	0.8	1.0	1.1	1.2
All races, female 1999.....	0.9	1.1	1.7	0.8	0.4	0.3	0.4	0.5	0.4	0.5
White, both sexes 1999.....	1.1	0.9	1.5	0.6	0.4	0.4	0.6	0.7	0.7	0.8
White, male 1999.....	1.3	*	1.7	0.6	0.5	0.6	0.8	1.0	1.0	1.0
White, female 1999.....	0.8	*	1.3	0.6	0.4	0.3	0.4	0.5	0.3	0.5
All other, both sexes 1999.....	2.0	*	4.0	1.7	0.7	*	0.8	0.9	0.8	1.5
All other, male 1999.....	2.4	*	4.4	2.0	*	*	*	*	1.2	2.1
All other, female 1999.....	1.6	*	3.5	1.5	*	*	*	*	*	*
Black, both sexes 1999.....	2.6	*	5.0	2.4	0.9	*	0.9	1.1	0.9	1.9
Black, male 1999.....	3.1	*	5.6	2.7	*	*	*	*	*	2.9
Black, female 1999.....	2.1	*	4.4	2.0	*	*	*	*	*	*

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Cataclysmic storm and flood (X37-X38)

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All races, both sexes 1999.....	4.5	*	0.2	*	0.1	1.3	3.9	5.2	7.1	9.2
All races, male 1999.....	6.7	*	*	*	*	1.9	6.1	8.4	11.0	13.6
All races, female 1999.....	2.4	*	*	*	*	0.7	1.6	2.1	3.3	4.9
White, both sexes 1999.....	4.4	*	0.2	*	0.1	1.5	4.3	5.6	7.2	9.4
White, male 1999.....	6.6	*	*	*	*	2.1	6.6	9.0	11.2	13.9
White, female 1999.....	2.3	*	*	*	*	0.8	1.8	2.2	3.2	4.8
All other, both sexes 1999.....	4.8	*	*	*	*	0.7	2.5	3.7	6.7	8.6
All other, male 1999.....	7.2	*	*	*	*	1.1	3.9	5.7	9.8	12.2
All other, female 1999.....	2.6	*	*	*	*	*	1.2	1.8	3.9	5.4
Black, both sexes 1999.....	5.9	*	*	*	*	*	2.8	4.4	8.3	10.5
Black, male 1999.....	9.0	*	*	*	*	*	4.6	7.0	11.9	15.2
Black, female 1999.....	3.1	*	*	*	*	*	*	2.1	5.0	6.4

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)

All races, both sexes 1999.....	4.1	*	*	*	*	1.1	3.6	5.0	6.7	8.7
All races, male 1999.....	6.1	*	*	*	*	1.5	5.5	7.9	10.4	12.7
All races, female 1999.....	2.2	*	*	*	*	0.6	1.5	2.1	3.1	4.8
White, both sexes 1999.....	4.0	*	*	*	*	1.2	3.9	5.3	6.9	8.9
White, male 1999.....	6.0	*	*	*	*	1.7	6.1	8.5	10.7	13.1
White, female 1999.....	2.1	*	*	*	*	0.7	1.6	2.2	3.0	4.7
All other, both sexes 1999.....	4.4	*	*	*	*	*	2.2	3.6	6.1	8.0
All other, male 1999.....	6.6	*	*	*	*	*	3.4	5.6	9.0	11.2
All other, female 1999.....	2.3	*	*	*	*	*	*	1.8	3.5	5.1
Black, both sexes 1999.....	5.5	*	*	*	*	*	2.6	4.4	7.8	9.9
Black, male 1999.....	8.4	*	*	*	*	*	4.2	6.9	11.3	14.1
Black, female 1999.....	2.9	*	*	*	*	*	*	2.1	4.7	6.2

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)										
All races, both sexes 1999.....	10.7	*	1.2	8.2	12.7	13.2	13.7	14.6
All races, male 1999.....	17.6	*	1.9	13.3	21.6	22.1	22.4	23.1
All races, female 1999.....	4.1	*	0.5	2.8	3.5	4.3	5.2	6.1
White, both sexes 1999.....	11.7	*	1.3	8.6	13.1	13.8	14.8	15.9
White, male 1999.....	19.1	*	2.1	13.9	22.1	22.9	23.8	24.6
White, female 1999.....	4.5	*	0.6	2.9	3.5	4.6	5.7	7.0
All other, both sexes 1999.....	6.0	*	0.9	6.6	11.2	10.9	9.4	8.7
All other, male 1999.....	10.2	*	1.4	10.8	19.3	19.1	16.2	15.6
All other, female 1999.....	2.2	*	*	2.3	3.3	3.3	3.4	2.5
Black, both sexes 1999.....	5.6	*	0.9	5.9	10.8	10.0	9.0	8.5
Black, male 1999.....	10.0	*	1.4	10.0	19.4	18.5	16.3	15.9
Black, female 1999.....	1.6	*	*	1.6	2.3	2.2	2.6	2.0

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

All races, both sexes 1999.....	1.2	*	*	0.3	0.7	1.1	1.3	1.9
All races, male 1999.....	1.1	*	*	0.3	0.7	1.1	1.3	2.0
All races, female 1999.....	1.2	*	*	0.4	0.7	1.1	1.4	1.9
White, both sexes 1999.....	1.3	*	*	0.4	0.7	1.2	1.5	2.2
White, male 1999.....	1.3	*	*	0.3	0.8	1.2	1.4	2.3
White, female 1999.....	1.4	*	*	0.5	0.7	1.3	1.5	2.1
All other, both sexes 1999.....	0.4	*	*	*	*	0.7	0.8	0.7
All other, male 1999.....	0.4	*	*	*	*	*	*	*
All other, female 1999.....	0.4	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.4	*	*	*	*	*	0.8	0.7
Black, male 1999.....	0.4	*	*	*	*	*	*	*
Black, female 1999.....	0.4	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X 68-X69)										
All races, both sexes 1999.....	0.1	*	*	*	*	*	*	0.1
All races, male 1999.....	0.1	*	*	*	*	*	*	*
All races, female 1999.....	0.0	*	*	*	*	*	*	*
White, both sexes 1999.....	0.1	*	*	*	*	*	*	*
White, male 1999.....	0.1	*	*	*	*	*	*	*
White, female 1999.....	0.0	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.0	*	*	*	*	*	*	*
All other, male 1999.....	*	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	*	*	*	*	*	*	*	*
Black, male 1999.....	*	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

All races, both sexes 1999.....	0.6	*	*	0.2	0.5	0.6	0.9	0.9
All races, male 1999.....	0.9	*	*	0.3	0.9	0.9	1.4	1.4
All races, female 1999.....	0.2	*	*	*	*	*	0.4	0.4
White, both sexes 1999.....	0.7	*	*	0.2	0.7	0.6	1.1	1.0
White, male 1999.....	1.0	*	*	0.3	1.1	1.0	1.7	1.7
White, female 1999.....	0.3	*	*	*	*	*	0.5	0.4
All other, both sexes 1999.....	0.1	*	*	*	*	*	*	*
All other, male 1999.....	0.2	*	*	*	*	*	*	*
All other, female 1999.....	*	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.1	*	*	*	*	*	*	*
Black, male 1999.....	0.2	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

All races, both sexes 1999.....	2.0	*	0.6	2.2	3.0	3.4	3.6	3.3
All races, male 1999.....	3.4	*	1.0	3.4	5.0	5.8	6.3	5.7
All races, female 1999.....	0.7	*	0.2	0.9	0.9	1.0	1.0	0.8
White, both sexes 1999.....	2.1	*	0.6	2.2	3.1	3.5	3.8	3.5
White, male 1999.....	3.5	*	1.1	3.5	5.2	6.1	6.6	6.0
White, female 1999.....	0.7	*	*	0.9	0.8	1.0	1.0	0.9
All other, both sexes 1999.....	1.6	*	0.6	2.0	2.5	2.8	2.9	2.4
All other, male 1999.....	2.6	*	0.9	3.0	4.0	4.8	5.0	4.4
All other, female 1999.....	0.6	*	*	1.0	*	1.0	*	*
Black, both sexes 1999.....	1.1	*	0.7	1.3	1.8	2.1	2.3	2.0
Black, male 1999.....	2.0	*	*	1.9	3.3	3.9	4.4	4.0
Black, female 1999.....	0.2	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes 1999.....	6.1	*	0.5	4.9	7.4	7.1	6.7	7.2
All races, male 1999.....	10.9	*	0.8	8.5	13.2	12.6	11.6	12.0
All races, female 1999.....	1.5	*	0.2	1.1	1.4	1.7	2.0	2.4
White, both sexes 1999.....	6.7	*	0.6	5.2	7.5	7.5	7.4	7.8
White, male 1999.....	11.9	*	0.9	9.0	13.3	13.0	12.4	12.9
White, female 1999.....	1.7	*	0.3	1.2	1.4	1.9	2.3	2.7
All other, both sexes 1999.....	3.0	*	*	3.9	7.1	5.7	4.1	4.1
All other, male 1999.....	5.7	*	*	6.9	12.9	10.9	7.8	7.8
All other, female 1999.....	0.6	*	*	*	1.4	*	*	*
Black, both sexes 1999.....	3.2	*	*	3.9	7.7	6.0	4.3	4.3
Black, male 1999.....	6.1	*	*	7.0	14.2	11.5	8.4	8.3
Black, female 1999.....	0.6	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by jumping from a high place (X80)

All races, both sexes 1999.....	0.3	*	*	0.2	0.4	0.3	0.3	0.4
All races, male 1999.....	0.4	*	*	0.3	0.7	0.5	0.5	0.6
All races, female 1999.....	0.1	*	*	*	*	*	*	0.2
White, both sexes 1999.....	0.3	*	*	0.2	0.4	0.3	0.3	0.4
White, male 1999.....	0.4	*	*	0.2	0.6	0.5	0.4	0.5
White, female 1999.....	0.1	*	*	*	*	*	*	0.2
All other, both sexes 1999.....	0.3	*	*	*	*	*	*	*
All other, male 1999.....	0.4	*	*	*	*	*	*	*
All other, female 1999.....	0.1	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.2	*	*	*	*	*	*	*
Black, male 1999.....	0.4	*	*	*	*	*	*	*
Black, female 1999.....	*	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)

All races, both sexes 1999.....	0.6	*	*	0.3	0.6	0.6	0.8	0.8
All races, male 1999.....	0.9	*	*	0.5	1.0	1.0	1.2	1.2
All races, female 1999.....	0.3	*	*	*	0.2	*	0.3	0.5
White, both sexes 1999.....	0.6	*	*	0.3	0.6	0.6	0.7	0.8
White, male 1999.....	0.9	*	*	0.5	1.0	1.0	1.2	1.1
White, female 1999.....	0.3	*	*	*	*	*	0.3	0.5
All other, both sexes 1999.....	0.5	*	*	*	0.6	0.7	1.0	0.8
All other, male 1999.....	0.8	*	*	*	1.1	1.1	1.5	1.5
All other, female 1999.....	0.3	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.5	*	*	*	*	*	1.0	0.9
Black, male 1999.....	0.8	*	*	*	*	*	1.6	1.5
Black, female 1999.....	0.3	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Assault (homicide) (X85-Y09,Y87.1)										
All races, both sexes 1999.....	6.2	8.7	2.5	0.9	1.3	10.6	16.1	13.0	9.5	7.8
All races, male 1999.....	9.6	9.6	2.5	0.9	1.5	17.2	26.6	21.2	14.6	11.2
All races, female 1999.....	2.9	7.7	2.5	0.9	1.0	3.6	5.2	4.8	4.5	4.4
White, both sexes 1999.....	3.8	6.6	1.7	0.7	1.0	5.6	8.2	6.9	5.8	5.1
White, male 1999.....	5.6	7.8	1.8	0.7	1.2	8.7	12.5	10.8	8.3	7.1
White, female 1999.....	2.2	5.3	1.7	0.7	0.8	2.4	3.7	3.1	3.3	3.1
All other, both sexes 1999.....	17.2	16.5	5.4	1.9	2.2	29.5	47.2	36.6	25.0	19.9
All other, male 1999.....	28.9	16.4	5.5	1.9	2.9	50.2	84.2	64.4	42.7	31.3
All other, female 1999.....	6.5	16.7	5.4	1.9	1.4	8.2	10.8	11.2	9.2	9.7
Black, both sexes 1999.....	21.9	20.7	6.8	2.1	2.6	37.2	61.2	48.9	32.9	25.5
Black, male 1999.....	37.5	20.8	6.6	2.3	3.5	63.2	110.6	86.8	57.0	40.7
Black, female 1999.....	7.8	20.7	7.0	2.0	1.6	10.2	12.8	14.2	11.5	12.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Assault (homicide) by hanging, strangulation and suffocation (X91)

All races, both sexes 1999.....	0.3	0.9	0.1	*	*	0.2	0.4	0.4	0.5	0.4
All races, male 1999.....	0.2	1.1	*	*	*	*	*	0.2	0.3	0.2
All races, female 1999.....	0.3	*	*	*	*	0.4	0.6	0.7	0.6	0.5
White, both sexes 1999.....	0.2	0.7	*	*	*	0.2	0.3	0.3	0.3	0.3
White, male 1999.....	0.1	*	*	*	*	*	*	*	*	*
White, female 1999.....	0.3	*	*	*	*	0.3	0.5	0.5	0.5	0.4
All other, both sexes 1999.....	0.5	*	*	*	*	0.5	0.7	0.9	1.0	0.9
All other, male 1999.....	0.3	*	*	*	*	*	*	*	*	*
All other, female 1999.....	0.7	*	*	*	*	*	*	1.4	1.3	1.2
Black, both sexes 1999.....	0.6	*	*	*	*	*	0.8	1.2	1.2	1.1
Black, male 1999.....	0.4	*	*	*	*	*	*	*	*	*
Black, female 1999.....	0.8	*	*	*	*	*	*	1.7	1.6	1.5

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Assault (homicide) by discharge of firearms (X93-X95)

All races, both sexes 1999.....	4.0	*	0.3	0.3	0.8	8.6	12.9	9.9	6.4	4.7
All races, male 1999.....	6.7	*	0.3	0.4	1.2	14.8	22.6	17.3	10.7	7.2
All races, female 1999.....	1.4	*	0.3	0.2	0.5	2.2	2.9	2.5	2.1	2.2
White, both sexes 1999.....	2.2	*	0.2	0.2	0.6	4.2	5.7	4.7	3.5	3.0
White, male 1999.....	3.5	*	*	0.2	0.8	7.0	9.3	7.8	5.5	4.4
White, female 1999.....	1.0	*	*	*	0.4	1.3	1.9	1.5	1.5	1.6
All other, both sexes 1999.....	12.3	*	0.8	0.7	1.6	25.5	41.2	30.2	18.2	12.3
All other, male 1999.....	22.3	*	*	*	2.5	44.7	76.4	56.6	33.6	20.9
All other, female 1999.....	3.1	*	*	*	*	5.7	6.8	6.2	4.5	4.7
Black, both sexes 1999.....	16.0	*	*	0.7	1.9	32.6	54.1	40.9	24.5	16.1
Black, male 1999.....	29.5	*	*	*	2.9	57.0	100.8	76.9	45.8	27.7
Black, female 1999.....	3.8	*	*	*	*	7.2	8.4	7.9	5.6	5.9

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Assault (homicide) by sharp object (X99)										
All races, both sexes 1999.....	0.7	*	*	*	0.1	0.8	1.4	1.2	1.3	1.1
All races, male 1999.....	1.0	*	*	*	*	1.2	2.0	1.8	1.8	1.6
All races, female 1999.....	0.4	*	*	*	*	0.4	0.7	0.6	0.7	0.6
White, both sexes 1999.....	0.5	*	*	*	*	0.6	1.0	0.9	0.8	0.7
White, male 1999.....	0.7	*	*	*	*	0.8	1.5	1.4	1.2	0.9
White, female 1999.....	0.3	*	*	*	*	0.3	0.5	0.4	0.5	0.4
All other, both sexes 1999.....	1.7	*	*	*	*	1.8	3.0	2.2	3.0	3.2
All other, male 1999.....	2.6	*	*	*	*	2.7	4.3	3.2	4.6	5.1
All other, female 1999.....	0.9	*	*	*	*	*	1.7	1.4	1.5	1.5
Black, both sexes 1999.....	2.1	*	*	*	*	2.1	3.8	2.7	3.7	3.9
Black, male 1999.....	3.2	*	*	*	*	3.2	5.3	3.8	5.7	6.5
Black, female 1999.....	1.1	*	*	*	*	*	2.3	1.8	1.9	1.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Neglect, abandonment and other maltreatment syndromes (Y06-Y07)

All races, both sexes 1999.....	0.1	3.3	0.4	*	*	*	*	*	*
All races, male 1999.....	0.1	3.6	0.4	*	*	*	*	*	*
All races, female 1999.....	0.1	2.9	0.4	*	*	*	*	*	*
White, both sexes 1999.....	0.1	2.5	0.2	*	*	*	*	*	*
White, male 1999.....	0.1	3.0	*	*	*	*	*	*	*
White, female 1999.....	0.0	2.0	*	*	*	*	*	*	*
All other, both sexes 1999.....	0.2	6.2	1.1	*	*	*	*	*	*
All other, male 1999.....	0.2	6.2	*	*	*	*	*	*	*
All other, female 1999.....	0.2	6.2	*	*	*	*	*	*	*
Black, both sexes 1999.....	0.3	7.9	1.5	*	*	*	*	*	*
Black, male 1999.....	0.3	7.6	*	*	*	*	*	*	*
Black, female 1999.....	0.3	8.2	*	*	*	*	*	*	*

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)

All races, both sexes 1999.....	1.0	3.8	1.3	0.4	0.2	0.8	1.1	1.2	1.2	1.4
All races, male 1999.....	1.3	4.0	1.5	0.3	0.2	1.0	1.5	1.6	1.5	1.8
All races, female 1999.....	0.7	3.5	1.2	0.4	*	0.6	0.8	0.8	0.9	0.9
White, both sexes 1999.....	0.8	2.8	1.0	0.2	0.2	0.6	1.0	0.8	0.9	1.0
White, male 1999.....	1.0	3.1	1.1	*	*	0.7	1.2	1.1	1.1	1.3
White, female 1999.....	0.5	2.5	0.9	*	*	0.5	0.7	0.6	0.7	0.7
All other, both sexes 1999.....	2.1	7.4	2.7	0.9	*	1.5	1.8	2.5	2.4	3.0
All other, male 1999.....	2.9	7.4	3.0	*	*	2.1	2.5	3.4	3.2	4.0
All other, female 1999.....	1.4	7.4	2.3	1.1	*	*	*	1.6	1.7	2.1
Black, both sexes 1999.....	2.6	9.5	3.6	1.0	*	1.8	2.0	3.2	3.1	3.7
Black, male 1999.....	3.6	9.7	4.0	*	*	2.5	3.3	4.3	4.1	4.8
Black, female 1999.....	1.6	9.3	3.2	*	*	*	*	2.2	2.2	2.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------------	--------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes 1999.....	1.4	1.4	0.3	*	0.2	0.8	1.5	1.7	2.2	2.9
All races, male 1999.....	2.0	1.7	0.3	*	0.3	1.3	2.3	2.5	3.0	4.0
All races, female 1999.....	0.9	1.2	0.3	*	*	0.3	0.7	0.9	1.4	1.7
White, both sexes 1999.....	1.4	1.2	0.2	*	0.2	0.8	1.5	1.8	2.2	2.8
White, male 1999.....	1.9	1.4	*	*	0.4	1.3	2.3	2.5	3.0	3.8
White, female 1999.....	0.9	*	*	*	*	*	0.6	1.0	1.4	1.8
All other, both sexes 1999.....	1.7	*	0.6	*	*	0.8	1.5	1.6	2.1	3.2
All other, male 1999.....	2.6	*	*	*	*	1.2	2.3	2.8	3.2	5.1
All other, female 1999.....	0.8	*	*	*	*	*	*	*	1.1	1.5
Black, both sexes 1999.....	2.0	*	*	*	*	0.8	1.7	2.0	2.6	3.9
Black, male 1999.....	3.2	*	*	*	*	1.3	2.7	3.5	3.9	6.4
Black, female 1999.....	0.9	*	*	*	*	*	*	*	1.5	1.8

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

RACE, AND SEX: UNITED STATES, 1999

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

CAUSE OF DEATH (BASED ON THE
TENTH REVISION INTERNATIONAL
CLASSIFICATION OF
DISEASES, 1992),
RACE, SEX, AND YEAR

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59, Y88.0)

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP)

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

[illegible]

